Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE PRICE LIST

FALL 1935

SPRING 1936

THE WESTMINSTER NURSERY
Westminster, Maryland

Bird's IMPROVED Flower Pots



RED POTS for shipping, etc. BLACK POTS for growing.

	Prices	per 1000
Size	Red	Black
2 in. (1000 per carton)	\$3.65	\$4.25
21/4 in. (1000 per carton)	3.80	4.45
2½ in. (1000 per carton)	4.10	4.90
3 in. (1000 per carton)	5.10	5.90
$3\frac{1}{2}$ in. (1000 per carton)	6.60	7.75
4 in. (500 per carton)	8.00	9.00
5 in. (500 per carton)	10.50	12.00
6 in. (500 per carton)	14.00	15. 50

All prices f. o. b. E. Walpole, Mass. Can quote you f. o. b. Westminster. Special discount for quantity orders. Less 5 per cent Cash with Order. Orders filled in carton lots only.

The Westminster Nursery

Westminster, Maryland

Terms and Conditions of Sale

This List Cancels All Previous Quotations

IMPORTANT—Five percent (5%) discount for cash with order before October 31st, 1935.

VERY IMPORTANT—Orders are always individually filled with fresh dug stock. Our customers appreciate the fact that we do not ship them stock that has dried out in the storage house.

PRICES—All prices quoted herein are f. o. b. our nursery, packing at cost. Packing free if cash accompanies orders. We will accept orders 5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1000 rate. Please use printed stationery or enclose business card when ordering. No orders accepted for less than \$1.00. Prices subject to change without notice.

PAYMENT—Payment shall be defined as payment by cash or current check. Invoices covering stock shipped in late Fall or Winter months for Spring use may be dated not later than April 1st.

TERMS—The usual terms are offered to those of established credit or whose responsibility is known to us. Cash, security or satisfactory references required from unknown parties. All invoices are payable 2%—10 days, 1%—30 days, or 60 days net.

INTEREST—Interest at the rate of 6% per annum shall be charged on accounts from maturity.

CONSIGNMENT—No stock will be sold directly or indirectly on consignment.

SHIPPING—Customers are required to give definite instructions in regard to manner of shipping that they desire. We ship by express and freight over the Western Maryland Railway which connects with the Pennsylvania and B. & O. Railroads and steamship lines in Baltimore. The White Transportation Co. and the Tidewater Bus Line also give motor truck service direct from the nursery.

AUTO TRUCK DELIVERY—We make deliveries by truck within 100 miles of our nurseries; our charges for this service are very moderate. Delivery by truck is very satisfactory and eliminates packing charges and insures quick delivery after plants are dug.

INSPECTION—A Certificate of Inspection accompanies each shipment.

GUARANTY—We give no guaranty, expressed or implied, as to description, quality, productiveness or any other matter of any nursery stock or bulbs we sell, and we will not be in any way responsible for the crop. All agreements and contracts are made subject to crop losses through unavoidable causes.

CLAIMS—Claims for any cause must be made promptly. Any stock that is not exactly as represented must be reported within five days after receipt of the goods.

SPECIAL SELECTION—Additional charge is made when customer tags or selects extra specimen plant material.

LOCATION—We are located 28 miles Northwest of Baltimore, Md., and 22 miles south of Gettysburg, Pa. We invite you to visit our nursery.

Respectfully yours,

THE WESTMINSTER NURSERY.

Est. 1893. Telephone "Westminster 222".

Westminster, Maryland, October 7, 1935.

Members of the American Association of Nurserymen, the Eastern Association of Nurserymen and the Maryland Association of Nurserymen.

For your convenience we have inserted the approximate growing height at maturity after each variety name.

General Index

See detailed Common Name Index on Page 62

Pag	86
EVERGREENS	3
BROADLEAVED EVERGREENS	9
DECIDUOUS and FLOWERING TREES	12
NUT TREES	18
DECIDUOUS SHRUBS	18
ROSES	28
VINES	29
PERENNIALS and ROCK PLANTS	3 1
LINING OUT STOCK	59
FRUIT TREES	50
SMALL FRUITS	51

BOXING CHARGES

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4' 6' 8' 10' 12' 14'	.75 1.00 1.25	1.00 1.25 1.50 2.50	1.25 1.50 1.75 2.75 3.25	1.50 1.75 2.00 3.25 3.50	1.75 2.00 2.50 3.50 4.00	2.00 2.50 2.75 4.00 5.00	2.50 2.75 3.25 4.50 5.50 6.00

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate

Evergreens

All of our evergreens are nursery grown, sheared, two or three times transplanted, well developed and well shaped. Evergreens are balled and burlapped (B&B) at prices named.

CHAMAECYPARIS (Retinospora	and (Cypress)
			Per 100
C. lawsoniana (Lawson Cypress) 100	'-150'	
2 to 2½ ft	60	5.00	45.00
2½ to 3 ft		6.50	
3 to 4 ft		9.00	80.00
4 to 5 ft		12.50	115.00
5 to 6 ft		17.50	150.00
6 to 7 ft		27.50	250.00
7 to 8 ft	3.90	32.50	300.00
C. lawsoniana alumi (Scarab Cy	press) 100'-1	L50'
18 to 24 in		9.00	
2 to $2\frac{1}{2}$ ft	1.40	11.50	
2½ to 3 ft	1.80	15.00	
3 to 3½ ft	2.10	17.50	
$3\frac{1}{2}$ to 4 ft		20.00	•
C. obtusa (Hinoki Cypress) 25'-35	<′		
		15.00	
3 to 4 ft	9 AA	$\begin{array}{c} 15.00 \\ 25.00 \end{array}$	
			•••••
C. obtusa crippsi (Cripp's Golder			
12 to 15 in		5.00	45.00
15 to 18 in		7.50	$\boldsymbol{65.00}$
18 to 24 in		10.00	90.00
2 to $2\frac{1}{2}$ ft	1.80	15.00	
C. obtusa gracilis (Slender Hinol	ki Cvi	oress) 1	2'-15'
12 to 15 in.			
15 to 18 in.			••••••
18 to 24 in.			~
**			
C. obtusa gracilis compacta (Fo			3'-5'
10 to 12 in	.55	4.50	
C. pisifera (Sawara Retinospora) 25'-	35'	
18 to 24 in		4.00	35.00
2 to 2½ ft	.60	5.00	45.00
$2\frac{1}{2}$ to 3 ft	.85	7.00	60.00
3 to 4 ft		9.00	80.00
4 to 5 ft		12.50	115.00
5 to 6 ft	2.10	17.50	
6 to 7 ft	3.00	25.00	
C. pisifera aurea (Golden Sawar	a Ret	inospor	a)
25'-35'		_	
18 to 24 in	.48	4.00	35.00
2 to $2\frac{1}{2}$ ft	.60	5.00	45.00
$2\frac{1}{2}$ to 3 ft	.85	7.00	60.00
3 to 4 ft	1.08	9.00	80.00
4 to 5 ft		12.50	115.00
5 to 6 ft	2.10	17.50	
6 to 7 ft	3.00	25.00	•••••
C. pisifera plumosa (Plume Reti	nosno	ra) 25'-	-35′
15 to 18 in		3.00	25.00
18 to 24 in		4.00	35.00
2 to 2½ ft		5.00	45.00
2½ to 3 ft		7.00	60.00
3 to 4 ft	_ •	9.00	80.00
4 to 5 ft		12.50	115.00
5 to 6 ft	2.10	$\overline{17.50}$	150.00

H	Each	Per 10	Per 100
C. pisifera plumosa aurea (Golde			
spora) 25'-35'	-		
15 to 18 in	.38	3.00	25.00
18 to 24 in	.48	4.00	35.00
2 to 2½ ft	.60	5.00	45.00
$2\frac{1}{2}$ to 3 ft		7.00	60.00
3 to 4 ft	1.08	9.00	80.00
C miniform accommon waitabi (Ma	it ah la	Mass	Datina
C. pisifera squarrosa veitchi (Ve spora) 25'-30'	iten s	MOSS	reuno-
15 to 18 in	18	4.00	35.00
18 to 24 in		6.00	
2 to 2½ ft		7.50	65.00
$2\frac{1}{2}$ to 3 ft		10.00	
3 to 4 ft		15.00	30.00
5 to 4 1t	1.00	19.00	••••••
HIMIDEDIE (Inniner)			
JUNIPERUS (Juniper)		,	
J. chinensis (Chinese Juniper) 15	5'-20'		
2 to 2½ ft	1.35	11.00	100.00
2½ to 3 ft	1.80	15.00	125.00
3 to 4 ft	2.10	17.50	150.00
T 1:		/C 1	
J. chinensis columnaris (pyramic	ialis)	(Colu	mnar
Chinese Juniper) 15'-20'	1.00	10.00	00.00
2½ to 3 ft			90.00
3 to 4 ft		15.00	
4 to 5 ft	2.40	20.00	175.00
5 to 6 ft	3.30	27.50	250.00
J. chinensis columnaris viridis (G Chinese Juniper) 20'-25' 12 to 15 in			
15 to 18 in		10.00	•••••
10 00 10 111	1.20	10.00	********
J. chinensis pfitzeriana (Pfitzer d	Junip	er) 5'-6	'
15 to 18 in. spread	.48	4.00	35.00
18 to 24 in. spread	.72	6.00	50.00
2 to $2\frac{1}{2}$ ft. spread	.98	8.00	70.00
$2\frac{1}{2}$ to 3 ft. spread	1.20	10.00	
3 to $3\frac{1}{2}$ ft. spread	1.80	15.00	125.00
I chinansis carmanti (Saymant) 11	14.		
J. chinensis sargenti (Sargent) 15 to 18 in. spread		12.00	100.00
10 to 10 m. spreau	1.49	12.00	100.00
J. communis aurea (Golden Prost Canada Juniper) 2'-3'			en
12 to 15 in. spread		4.00	•••••
15 to 18 in. spread	.60	5.00	
18 to 24 in. spread	.72	6.00	
2 to 2½ ft. spread	.98	8.00	
2½ to 3 ft. spread	1.20	10.00	
J. communis depressa (Prostrate 2'-3'	or Ca	nada J	uniper)
12 to 15 in. spread	.48	4.00	
15 to 18 in. spread	.60	5.00	
18 to 24 in. spread	72	6.00	·
2 to $2\frac{1}{2}$ ft spread	.98	8.00	
$2\frac{1}{2}$ to 3 ft. spread	1.20	10.00	
			•
J. communis depressa plumosa (Plumed Spreading Juniper) 3	'-4'	v. 2	
15 to 18 in. spread			
18 to 24 in. spread	.72	6.00	§ 50.00
$\frac{2}{2}$ to $\frac{2}{2}$ ft. spread	.98	8.00	70.00
$2\frac{1}{2}$ to 3 ft. spread		10.00	90.00
3 to $3\frac{1}{2}$ ft. spread	1.80	15,00	125.00

T	Pooh	Dov 10	Per 100
			rer 100
J. communis hibernica (Irish Jun			97 50
15 to 18 in	.42 .55	$\begin{array}{c} 3.50 \\ 4.50 \end{array}$	27.50
18 to 24 in	.60	5.00	40.00 45.00
	.72	$\begin{array}{c} 5.00 \\ 6.00 \end{array}$	50.00
	.12	7.00	60.00
3 to 4 ft	-		
4 to 5 ft	1.20	10.00	90.00
5 to 6 ft		15.00	
6 to 7 ft	2.70	22.50	
J. communis oblonga 7'-8'			
15 to 18 in	.60	5.00	45.00
18 to 24 in	.72	6.00	50.00
2 to 2½ ft	1.08	9.00	80.00
2½ to 3 ft	1.35	11.00	100.00
			100.00
J. excelsa stricta (Spiny Greek J	unipe	r) 4'-6'	
10 to 12 in		4.50	40.00
12 to 15 in	.72	6.00	50.00
15 to 18 in	.98	8.00	
18 to 24 in	1.20	10.00	
2 to 2½ ft	1.50	12.50	
$2\frac{1}{2}$ to 3 ft	2.10	17.50	*******
3 to 4 ft		25.00	
J. horizontalis (Creeping Juniper			
12 to 15 in. spread		5.50	47.50
15 to 18 in. spread		6.50	55.00
18 to 24 in. spread		8.00	70.00
2 to $2\frac{1}{2}$ ft. spread	1.20	10.00	90.00
7 1 1 1 1 7 7 7		~ . \	41.01
J. horizontalis glauca (Blue Cree			
18 to 24 in. spread	1.80	15.00	*******
2 to $2\frac{1}{2}$ ft. spread	2.40	20.00	
T	. 01		
J. japonica (Japanese Juniper) 6		4.00	
12 to 15 in. spread		4.00	
15 to 18 in. spread		5.00	
18 to 24 in. spread	.90	7.50	65.00
I walion (Carrier Transition) (4.77)			
J. sabina (Savin Juniper) 6'-7'	40	4.00	05 00
15 to 18 in. spread		4.00	
18 to 24 in. spread		6.00	
$\frac{2}{2}$ to $\frac{2}{2}$ ft. spread			70.00
2½ to 3 ft. spread	1.20	10.00	
3 to $3\frac{1}{2}$ ft. spread	1.80	15.00	125.00
T . 1 . 4	α.	т •	\
J. sabina tamariscifolia (Tamarix	Savi	in Junij	oer)
1½'-2'	1 00	0.00	
12 to 18 in. spread			••••••
18 to 24 in. spread	1.50	12.50	
I anhaoriae (fortunai) (Fortuna)	, T	inoul o	1' 20'
J. sphaerica (fortunei) (Fortune's			
$\frac{2}{2}$ to $\frac{2^{1}}{2}$ ft			
2½ to 3 ft			********
3 to 4 ft	2.40	20.00	•••••
J. squamata meyeri (Meyer Junig	ner) 9	R'_4'	
12 to 15 in			50 00
15 to 18 in			
18 to 24 in			
10 00 44 III	T.00	14.UV	TTO.AA
J. virginiana (Redcedar) 30'-50'			
3 to 4 ft	1.50	12.50	
4 to 5 ft		15.00	125.00
5 to 6 ft		22.50	200.00
6 to 7 ft.		35.00	325.00
V VV I 4.0	TOMU	55.00	0 m 0 • 0 0

	Foob 1	Per 10 1	Por 100
J. virginiana burki (Burk's Red			CI 100
2 to 2½ ft			
2½ to 3 ft		15.00	125.00
3 to 4 ft		17.50	150.00
4 to 5 ft		22.50	200.00
5 to 6 ft		32.50	300.00
J. virginiana cannarti (Cannart		dar) 12	'-15'
$2\frac{1}{2}$ to 3 ft		15.00	125.00
3 to 4 ft		20.00	
4 to 5 ft	3.30	27.50	
I virginiana glauge (Silvoy Dod	landon'	15'-20	,
J. virginiana glauca (Silver Red 18 to 24 in		9.00	80.00
		10.00	90.00
		13.50	30.00
$2\frac{1}{2}$ to 3 ft		17.50	
J. virginiana keteleeri (Keteleer	Redce	dar) 15	'-18'
15 to 18 in	90	7.50	
18 to 24 in	. 1.50	12.50	
$2 to 2\frac{1}{2} ft$		17.50	
$2\frac{1}{2}$ to 3 ft	. 2.70	22.50	
3 to 4 ft		30.00	
4 to 5 ft	. 4.80	40.00	
J. virginiana kosteri (Koster Re	eheahe	r) 3'-4'	
15 to 18 in. spread			
18 to 24 in. spread		20.00	
•			
J. virginiana schotti (Schott Red			
$\frac{2}{1}$ to $\frac{2}{2}$ ft			
$2\frac{1}{2}$ to 3 ft		15.00	125.00
3 to 4 ft			175.00
4 to 5 ft	3.00	25.00	
	. 3.00	25.00	
PICEA (Spruce)			211
PICEA (Spruce) P. canadensis albertiana (Albert			ills
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60'	a or I	Black H	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I . 1.68	Black H 14.00	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60'	a or I . 1.68	Black H	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I . 1.68	Black H 14.00	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I . 1.68 . 2.22 -100'42	Black H 14.00	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I . 1.68 . 2.22 -100'42	Black H 14.00 18.50	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I . 1.68 . 2.22 -100'4255	Black H 14.00 18.50 3.50	30.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft	a or I . 1.68 . 2.22 -100'425572 . 1.20	3.50 4.50	30.00 40.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 2 to 3 ft 2 to 3 ft 3 to 4 ft 4 to 5 ft	a or I . 1.68 . 2.22 -100'425572 . 1.20 . 1.68	3.50 4.50 6.00 14.00	30.00 40.00 50.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft	a or I . 1.68 . 2.22 -100' 42 55 72 . 1.20 . 1.68 . 2.40	3.50 4.50 6.00 14.00 20.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft	a or I 1.68 2.22 -100' 4255 72 1.20 1.68 2.40 3.60	3.50 4.50 6.00 14.00 20.00 30.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft	a or I . 1.68 . 2.22 -100'425572 . 1.20 . 1.68 . 2.40 . 3.60 . 5.08	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100'4255721201682403.60508	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft	a or I 1.68 2.22 -100'4255721201682403.60508	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft 10 to 12 ft	a or I 1.68 2.22 -100'4255721.201.682.403.605.086.50 10.20	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 4255 72 1.20 1.68 2.40 3.60 5.08 10.20 E Spru	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 42 55 72 1.20 1.68 2.40 3.60 5.08 6.50 10.20 E Spru 2.10	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'-	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100'4255721.201.682.403.605.086.50 10.20	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft 10 to 12 ft P. pungens kosteri (Koster Blue 15 to 18 in 18 to 24 in 2 to 2½ ft	a or I 1.68 2.22 -100' 4255 .72 1.20 1.68 2.40 3.60 5.08 6.50 10.20 Spru 2.70 2.70 3.30	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 4255 .72 1.20 1.68 2.40 3.60 5.08 6.50 10.20 Spru 2.70 2.70 3.30	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft 3 to 4 ft P. excelsa (Norway Spruce) 80'- 12 to 18 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft 10 to 12 ft P. pungens kosteri (Koster Blue 15 to 18 in 18 to 24 in 2 to 2½ ft	a or I 1.68 2.22 -100' 4255 .72 1.20 1.68 2.40 3.60 5.08 6.50 10.20 Spru 2.70 2.70 3.30	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 425572 1.201.682.403.605.085.085.085.085.085.085.08	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 42 .55 .72 .1.20 .1.68 .2.40 .3.60 .5.08 .6.50 10.20 E Spru .2.10 .2.70 .3.30 .4.20	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 27.50 27.50 35.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 4255721201.682.403.605.082.403.603.603.603.604.204.20	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 22.50 27.50 35.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100'425572 - 1.20 - 1.68 - 2.40 - 3.60 - 5.08 - 6.50 - 10.20 - Spru - 2.10 - 2.70 - 3.30 - 4.20 - 4.20486090	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100'425572 - 1.20 - 1.68 - 2.40 - 3.60 - 5.08 - 6.50 - 10.20 - Spru - 2.10 - 2.70 - 3.30 - 4.20 - 4.20486090	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 42 -55 72 1.20 1.68 2.40 3.60 5.08 6.50 10.20 Spru 2.10 2.70 3.30 4.20 ne) 3' 4.20	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100'425572 - 1.20 - 1.68 - 2.40 - 3.60 - 5.08 - 6.50 - 10.20 - Spru - 2.10 - 2.70 - 3.30 - 4.20 - 4.20 - 1.4590 - 1.45 - 1.92	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 22.50 27.50 35.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	a or I 1.68 2.22 -100' 42 55 72 1.20 1.68 2.40 3.60 5.08 2.40 2.70 2.70 3.30 4.20 me) 3' 4.20 me) 3' 4.20 me) 3' 4.20	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00

WESIMINSIER, WARTEAND			
	Each	Per 10	Per 100
P. nigra (Austrian Pine) 60'-70'	Laci	1 (1 10	101 105
15 to 18 in	60	5.00	45.00
18 to 24 in		6.00	50.00
2 to 2½ ft		7.50	65.00
$2\frac{1}{2}$ to 3 ft		8.50	75.00
3 to 4 ft		12.50	115.00
4 to 5 ft		15.00	$125.00 \\ 225.00$
5 to 6 ft		$\begin{array}{c} 25.00 \\ 35.00 \end{array}$	223.00
0 00 1 10	. 4.20	99.00	
P. resinosa (Red Pine) 60'-70'			
15 to 18 in			27.50
18 to 24 in	42	3.50	••••••
P. sylvestris (Scotch Pine) 30'-4	۱0'		
15 to 18 in		2.75	25.00
18 to 24 in		3.50	30.00
$\frac{2}{1}$ to $\frac{21}{2}$ ft		7.00	•••••
2½ to 3 ft		8.00	
5 to 6 ft			250.00
6 to 8 ft	. 4.80	40.00	•••••
RETINOSPORA—See Chamaecypa	aris		
THUJA (Arborvitae)	• ,		. /
T. occidentalis (American Arbor			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		$\frac{3.00}{4.00}$	$\begin{array}{c} 25.00 \\ 35.00 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5.50	47.50
3 to 4 ft		6.50	55.00
4 to 5 ft		10.00	90.00
5 to 6 ft		15.00	125.00
6 to 7 ft	. 4.20	35.00	
7 to 8 ft			
8 to 10 ft	. 6.00	50.00	
T. occidentalis compacta (Parso	ons A	rborvit	ae) 3'-5'
12 to 15 in		3.50	30.00
15 to 18 in		4.50	40.00
18 to 24 in		6.00	50.00
$\frac{2}{2}$ to $\frac{21}{2}$ ft			75.00
2½ to 3 ft	. 1.20	10.00	
T. occidentalis ellwangeriana (Fom '	Thumb	Arbor-
vitae) 4'-5'			
15 to 18 in		4.00	35.00
18 to 24 in		5.50	45.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		7.00	60.00 90.00
		10.00	
T. occidentalis globosa (Globe A			
9 to 12 in		3.00	25.00
12 to 15 in		3.50	$\begin{array}{c} 30.00 \\ 40.00 \end{array}$
15 to 18 in			50.00
2 to 2½ ft.		8.00	90.00
			4'
T. occidentalis hoveyi (Hovey A 12 to 15 in		itae) 3. 3.50	30.00
15 to 18 in		4.50	40.00
18 to 24 in		6.00	50.00
2 to 2½ ft			70.00
2 ³ / ₄ to 3 ft		10.	
3 to 3 ½ft		12.50	•••••
T. occidentalis Little Gem (Litt		m Arb	orvitae
1½'-2'	uc	A N	
6 to 8 in		4.50	******
8 to 10 in	.72	6.00	

		Per 10 I	
T. occidentalis lutea (George	e Peabod	y Arbo:	rvitae)
10'-15'			
15 to 18 in		5.00	45.00
18 to 24 in		7.50	65.00
$\frac{2}{2}$ to $\frac{21}{2}$ in		10.00	••••••
2½ to 3 ft	1.62	13.50	
T conidentalia "Ovel Ten" 6"	Q'		
T. occidentalis "Oval Top" 6's		6.00	
18 to 24 in		9.00	
10 10 24 111	1.00	3.00	••••••
T occidentalis pyramidalis	Pyramida	l Arbo	rvitae)
15'-30'	•		
18 to 24 in		3.50	30.00
2 to $2\frac{1}{2}$ ft		4.50	40.00
$2\frac{1}{2}$ to 3 ft		6.00	50.00
3 to 4 ft	90	7.50	65.00
4 to 5 ft		10.00	90.00
5 to 6 ft		12.50	115.00
6 to 7 ft	3.00	25.00	225.00
7 to 8 ft	3.60	30.00	250.00
8 to 9 ft		50.00	
9 to 10 ft		70.00	
· .			
T. occidentalis reidi (Reid A			
15 to 18 in		5.00	45.00
18 to 24 in		6.00	50.00
2 to $2\frac{1}{2}$ ft		9.00	80.00
$2\frac{1}{2}$ to 3 ft	1.50	12.50	100.00
T assidentalia umbus sulifeus	/ TI b	llo on C	Yuahian
T. occidentalis umbraculifera	i (Umbre	na or C	Jusnion
Arborvitae) 3'-4'	co	5 00	
15 to 18 in		5.00	
18 to 24 in		6.00	
T. occidentalis wareana (Sibo	erian Arb	orvitae)	12'-15'
T. occidentalis wareana (Sibo			
15 to 18 in		3.00	25.00
15 to 18 in		3.00 4.50	25.00 40.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3.00 4.50 6.00	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50	25.00 40.00 50.00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		3.00 4.50 6.00 8.50 12.50	25.00 40.00 50.00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		3.00 4.50 6.00 8.50 12.50 22.50	25.00 40.00 50.00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		3.00 4.50 6.00 8.50 12.50	25.00 40.00 50.00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		3.00 4.50 6.00 8.50 12.50 22.50 32.50	25.00 40.00 50.00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		3.00 4.50 6.00 8.50 12.50 22.50 32.50	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv	25.00 40.00 50.00 Fian or 40.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00	25.00 40.00 50.00 rian or 40.00 itae) 3' 25.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50	25.00 40.00 50.00 Fian or 40.00 itae) 3' 25.00 30.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50	25.00 40.00 50.00 Fian or 40.00 itae) 3' 25.00 30.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborvi	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50 Arborvit	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50 Arborvit	25.00 40.00 50.00 50.00 rian or 40.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50 Arborvit	25.00 40.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50 Arborvit	25.00 40.00 50.00 50.00 rian or 40.00 325.00 30.00 tae) 35.00 45.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50 Arborvit	25.00 40.00 50.00 50.00 rian or 40.00 325.00 30.00 tae) 35.00 45.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborv 3.00 3.50 Arborvit	25.00 40.00 50.00 50.00 rian or 40.00 itae) 3' 25.00 30.00 tae) 35.00 45.00 50.00 Arbor-
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborvi 4.00 5.00 5.50 Golden 3.50	25.00 40.00 50.00 50.00 rian or 40.00 325.00 30.00 tae) 35.00 45.00 50.00 Arbor-
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborvi 4.00 5.00 5.50 Golden 3.50 5.00	25.00 40.00 50.00 50.00 rian or 40.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborvi 4.00 5.00 5.50 Golden 3.50 6.00	25.00 40.00 50.00 50.00 rian or 40.00 325.00 30.00 tae) 35.00 45.00 50.00 45.00 50.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborvi 4.00 5.00 5.50 Golden 3.50 6.00 9.00	25.00 40.00 50.00 50.00 rian or 40.00 35.00 30.00 tae) 35.00 45.00 50.00 80.00
15 to 18 in		3.00 4.50 6.00 8.50 12.50 22.50 32.50 n Siber 4.50 6.00 9.00 12.50 Arborvi 4.00 5.00 5.50 Golden 3.50 6.00	25.00 40.00 50.00 50.00 rian or 40.00 325.00 30.00 tae) 35.00 45.00 50.00 45.00 50.00

Each T. orientalis elegantissima (Yellow C	Per 10 l Solumn	
vitae) $7'-10'$ 18to 24in602to $2\frac{1}{2}$ ft90 $2\frac{1}{2}$ to 3ft.1.203to $3\frac{1}{2}$ ft.1.505to 6ft.3.306to 7ft.4.20	5.00 7.50 10.00 12.50 27.50 35.00	45.00 65.00 90.00 115.00
TSUGA canadensis (Canada Hemlock) 78 18 to 24 in	7.50 12.50	
Broadleaved Everg		
Including Shrubs, Vines and Ground ABELIA grandiflora (Glossy Abelia; H		
4'-6' 15 to 18 in. B&B	2.50 3.50 4.50	20.00 30.00
AZALEAS Amoena. Rosy purple. 3'-4'		25.22
4 to 6 in. B&B	4.00 5.00	$\begin{array}{c} 35.00 \\ 45.00 \end{array}$
Apple Blossom. Pale pink. 3'-4' 4 to 6 in. B&B	4.00 5.00	40.00
8 to 10 in. B&B	6.00 d. 3'-4' 5.00	50.00 40.00
6 to 8 in. B&B	6.00	50.00
Coral Bells. Shell Pink. 3'-4' 2 to 4 in. B&B	4.00 5.00	
6 to 8 in. B&B	6.00 d. 3'-4' 4.00	
6 to 8 in. B&B	5.00	
4 to 6 in. B&B	$\begin{array}{c} \textbf{4.00} \\ \textbf{5.00} \end{array}$	40.00
Hinodegiri (Kurume). Brilliant scarle 2 to 4 in. B&B	3.00	25.00
6 to 8 in. B&B	5.00	40.00
Indica alba. Single white. 3'-4' 6 to 8 in. B&B		50.00
8 to 10 in. B&B	$8.00 \\ 10.00 \\ 12.00$	70.00 90.00 100.00
15 to 18 in. B&B 2.10	17.50	150.00

		Per 10	Per 100
Japonica. Single lavender. 3'-4'	1 00	10.00	00.00
8 to 10 in. B&B			
10 to 12 in. B&B			
12 to 19 m. b&b	1.00	14.00	120.00
Ledifolia alba. Single white. 3'-4	1′		
12 to 15 in. B&B		12.00	100.00
15 to 18 in. B&B	1.68	14.00	
Macrantha (Indica). Red salmon			OF 00
4 to 6 in. B&B			
6 to 8 in. B&B	.48	4.00	30.00
Maxwelli (Kurume). Large carn	ine-	red. 3'	-4'
8 to 10 in. B&B	1.20	10.00	90.00
10 to 12 in. B&B	1.45	12.00	100.00
12 to 15 in. B&B	1.68	14.00	120.00
15 to 18 in. B&B	2.10	17.50	150.00
M . Cl . D . 1 0/ //		•	
Morning Glow. Rose pink. 3'-4'	90	2 00	95.00
2 to 4 in. B&B 4 to 6 in. B&B	.38	- 3.00 4.00	
6 to 8 in. B&B	.40		
0 to 8 m. b@b	.00	9.00	40.00
Peach Blossom. Dark pink. 3'-4'			
4 to 6 in. B&B	.48	4.00	30.00
6 to 8 in. B&B	.60	5.00	40.00
-			
Peach Blow. Very pale pink. 3'-	4'		20.00
2 to 4 in. B&B			
4 to 6 in. B&B	.60	5.00	40.00
Pink Beauty. Lovely pink. 3'-4'			
4 to 6 in. B&B	85	7 00	60.00
6 to 8 in. B&B			
Pink Pearl (Kurume). Salmon-re	ose, l	ighter	in
center. 3'-4'	40	4.00	22.22
4 to 6 in. B&B			
6 to 8 in. B&B			
8 to 10 in. B&B	.98	8.00	70.00
Yayegiri (Kurume). Salmon-red.	3'-	4'	
4 to 6 in. B&B	.48	4.00	30.00
6 to 8 in. B&B			
BERBERIS (Barberry)			
B julianae (Wintergreen Barberry	y) 5'	-6	
10 to 12 in. B&B 12 to 15 in. B&B			
15 to 18 in. B&B	.90 75	4.40 6.25	
18 to 24 in. B&B	1.08	9.00	

B. verruculosa (Warty Barberry)			
12 to 15 in. B&B	.75		
15 to 18 in. B&B	1.15	9.50	
D444440 (5			
BUXUS (Boxwood)			
B. sempervirens (Common Bush)	Form	Boxw	(hoo
10'-12'	· OI II	I DUAW	o,o,u,
10 to 12 in. B&B	.42	3.50	- 30.00
12 to 15 in. B&B	.55	4.50	40.00
15 to 18 in. B&B	.72	6.00	50.00
18 to 24 in. B&B	1.20	10.00	90.00
	X.=V	# 0.00	+

Each Per 10	
B. sempervirens suffruticosa (Truedwarf or	English
Boxwood) 5'-8'	1000
4 to 6 in. from beds	
6 to 8 in. heavy B&B	
8 to 10 in. extra heavy B&B .60 5.00	
10 to 12 in. extra heavy B&B .98 8.00	
12 to 15 in. extra heavy B&B 1.68 14.06	
COTONEASTER	
C. divaricata (Spreading Cotoneaster) 5'-6'	
2 to 3 ft. B&B	
3 to 4 ft. B&B 1.20 10.00	
C francheti (Franchet Cotonogston) E' 7'	
C. francheti (Franchet Cotoneaster) 5'-7' 15 to 18 in. B&B	1
18 to 24 in. B&B	
10 to 24 m. B&B	
C. horizontalis (Rock Cotoneaster) 2'-3'	
15 to 18 in., 5 in. pots	
18 to 24 in., 6 in. pots	
C. microphylla (Rockspray Cotoneaster) 2'	-91/3'
15 to 18 in., 5 in. pots	
18 to 24 in., 6 in. pots	
C. simonsi (Simons Cotoneaster) 5'-6'	
12 to 18 in. B&B	
18 to 24 in. B&B	
$2 \text{ to } 2\frac{1}{2} \text{ ft. } B\&B$)
DADIME (D. D. L.) 4/	
DAPHNE cneorum (Rose Daphne) 1'	_
9 to 12 in. spread	
12 to 15 in. spread	
15 to 18 in. spread 1.35 11.00	<i></i>
DUONIUMIC	
EUONYMUS	,
E. japonicus (Evergreen Burningbush) 12'-	
8 to 12 in. B&B	
12 to 18 in. B&B	
10 to 24 m. b&b	<i></i>
E. japonicus albovariegatus (Silverspot Bur	rning-
bush) 12'-15'	
10 to 12 in. B&B	
12 to 15 in. B&B)
E. radicans (Wintercreeper) 12'-16'	
12 to 15 in. B&B	20.00
15 to 18 in. B&B	
E. radicans acutus (Sharpleaf Wintercreepe	
12 to 15 in. 3 yr. B&B	J
E. radicans coloratus (Redleaved Wintercre	eper)
6'-10'	• '
12 to 15 in. 3 yr. B&B	
15 to 18 in. 3 yr. B&B	········
E. radicans vegetus (Bigleaf Wintercreeper	2) 12'-15'
	25.00
	30.00
18 to 24 in. B&B	
ILEX crenata microphylla (Littleleaf Japanes	se Holly)
6'-8'	
6 in. pots	J

E	ach F	er 10 I	Per 100
LEUCOTHOE catesbaei (Drooping I			
15 to 18 in. B&B			
LIGUSTRUM lucidum (Glossy Ever			
20'-25' 15 to 18 in. B&B	.72	6.00	50.00
18 to 24 in. B&B		7.50	65.00
LONICERA nitida (Japanese Privet	Hone	ysuckle	e) 3'-4'
12 to 15 in. B&B	.60	5.00	
15 to 18 in. B&B			
2 to 2½ ft. B&B			
MAHONIA aquifolium (Oregon Hol	llvors	ne) 4'.	·5′
15 to 18 in. B&B	.60	5.00	
18 to 24 in. B&B	.78	6.50	••••••
		Per	
Each	_	100	_
PACHYSANDRA terminalis (Japane Strong 21/4 in. pot plants .12			75.00
PIERIS	acn F	Per 10 I	er 100
P. floribunda (Mountain Andromed	da) 4	'-5'	
12 to 15 in. B&B	1.20	10.00	
15 to 18 in. B&B	1.92	16.00	
P. japonica (Japanese Andromeda			
12 to 15 in. B&B	1.02	8.50	
PYRACANTHA coccinea lalandi (La 10'-15'	aland	Fireth	orn)
18 to 24 in. B&B., or 7 in. pots			
2 to 3 ft. B&B			
3 to 4 ft. B&B	2.4 U	20.00	
VINCA (Periwinkle or Myrtle)			
V. minor (Common Periwinkle or			
2 yr. No. 1			8.00
V. minor alba (White Common Per 6"-8"	iwink	de or M	Iyrtle)
2 yr. No. 1	.18	1.50	12.00
RHODODENDRON			
Varieties, sizes and prices on ap			
varience, sizes and prices on ap	риса	tion.	

Deciduous and Flowering Trees

Prices quoted on Deciduous and Flowering Trees are for trees dug with bare roots except as noted. Additional charge made to ball and burlap deciduous trees.

ACER (Maple)

(Maple)		
· Ea	ach Per 10	Per 100
A. dasycarpum (Silver Maple) 60'	-80'	
6 to 8 ft		30.00
	.60 5.00	
10 to 12 ft., 1½ to 2 in, cal		

WESTWINSTER, WARTDAND		10
		- 100
A. negundo (Box Elder or Ash-leaved	Per 10 : Maple)	
6 to 8 ft		
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal60		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal75		•••••
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal 1.08	$\boldsymbol{9.00}$	
A. palmatum atropurpureum (Purple	leaf or	Blood-
leaf Japanese Maple) 6'-8' 10 to 12 in. B&B	3.50	
12 to 15 in. B&B	5.00	
15 to 18 in. B&B	7.50	
18 to 24 in B&B	7.50	
A. platanoides (Norway Maple) 50'-78 6 to 8 ft	6.00	50.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal90	$\begin{array}{c} 0.00 \\ 7.50 \end{array}$	65.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal 1.20	10.00	90.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal 1.58	13.00	116.00
1 ³ / ₄ to 2 in. cal 1.92	16.00	110.00
$\frac{1}{2}$ to $\frac{2}{4}$ in. cal 2.40	20.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal 3.00	25.00	
$2\frac{1}{2}$ to 3 in. cal 3.90	32.50	
3 to $3\frac{1}{2}$ in. cal 5.08	42.50	
$3\frac{1}{2}$ to 4 in. cal 6.00	50.00	
A. platanoides schwedleri (Schwedler	Manla	50'-70'
6 to 8 ft., branched		30 - 10
8 to 10 ft., branched 1.08		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.50		
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 2.10		
10 to 12 ft., 1% to 2 in. cal. 2.70		*****
12 to 14 ft., 2 to $2\frac{1}{4}$ in. cal. 3.60		
'		
A. rubrum (Red or Scarlet Maple) 60' 6 to 8 ft		50.00
8 to 10 ft		80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.50		
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 2.10		
10 to 12 ft., 1% to 2 in. cal. 2.70		
A. saccharum (Sugar Maple) 60'-100'	c oo	
6 to 8 ft	6.00	
8 to 10 ft., 1 to 1½ in. cal. 1.08	$\begin{array}{c} 9.00 \\ 15.00 \end{array}$	•
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.80 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 2.22		
10 to 12 it., 1/2 to 1/4 in. cal. 2.22 12 to 14 ft., 1% to 2 in. cal. 3.00		
12 to 14 ft., 2 to $2\frac{1}{4}$ in. cal. 3.85		
·		
AESCULUS glabra (Ohio Buckeye; Hoi 50'-70'	sechestr	nut)
2 to 3 ft	5.00	•••••
3 to 4 ft	5.50	
4 to 5 ft	6.50	
5 to 6 ft	7.50	
AT NITIO (ALL -)		
ALNUS (Alder)	,	
A. glutinosa (European Alder) 70'-80 5 to 6 ft	4.50	40.00
6 to 8 ft	$\begin{array}{c} 4.30 \\ 6.00 \end{array}$	50.00
8 to 10 ft		
10 to 12 ft		
A. incana (Speckled Alder) 40'-60' 2 to 3 ft	2 50	
3 to 4 ft		
4 to 5 ft	5.50	
5 to 6 ft	7.00	
6 to 8 ft		
8 to 10 ft. 1.50		

			
			Per 100
AMYGDALUS persica rosea (Pink	Flor	vering	Peach)
10'-12' 2 to 3 ft	.25	2.00	
3 to 4 ft		3.00	
4 to 5 ft		4.00	
BETULA (Birch)			
B. alba (European White Birch)		0'	
6 to 8 ft	.72	6.00	50.00
8 to 10 ft., 1½ to 1½ in. cal.	1.20	10.00	90.00
10 to 12 ft., 1½ to 1¾ in. cal. 12 to 14 ft., 1¾ to 2 in. cal.		$\begin{array}{c} 13.50 \\ 16.00 \end{array}$	$120.00 \\ 140.00$
12 to 14 ft., $\frac{1}{4}$ to $\frac{2}{12}$ in. cal.		20.00	175.00
14 to 16 ft., 2½ to 3 in. cal.		25.00	225.00
B. papyrifera (Paper or Canoe B	irah)	50'75'	
4 to 5 ft		4.00	
5 to 6 ft		5.00	
6 to 8 ft		7.50	
8 to 10 ft	1.20	10.00	
B. pendula laciniata (Cut Leaf	Ween	ing Bi	rch)
30'-40'	W CCP		- 011/
6 to 8 ft., B&B	1.80	15.00	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.		10.00	
B&B	4.80	40.00	
12 to 14 ft., 1¾ to 2 in. cal. B&B	7 20	60.00	
$2 \text{ to } 2\frac{1}{2} \text{ in. cal., B&B.}$		75.00	
2 00 2 /2 111 0011, E0D	0.00		
CATALPA			
C. bungei (Umbrella Catalpa) 10)'-15'		
1 yr. heads, 4 to 5 ft. stem		2.50	20.00
1 yr. heads, 5 to 6 ft. stem		3.00	
2 yr. heads, 4 to 5 ft. stem		3.00	25.00
2 yr. heads, 5 to 6 ft. stem, $1\frac{1}{2}$		9.50	20.00
in. cal., extra heavy		3.50	30.00
in. cal., extra heavy		4.00	35.00
,		2000	
C. speciosa (Western Catalpa) 30'- 5 to 6 ft		2.50	17.00
6 to 8 ft		3.00	
8 to 10 ft		5.00	40.00
10 to 12 ft		7.50	
CELTIS occidentalis (Hackberry)			
3 to 4 ft		4.50	40.00
4 to 5 ft		5.50 6.50	50.00 60.00
5 to 6 ft		8.00	70.00
8 to 10 ft		10.00	10.00
		_ 3.33	
CERCIS canadensis (American Rec	lbud (or Juda	s Tree)
20'-25'	4 00	0.00	
6 to 8 ft		-	0
8 to 10 ft		$15.00 \\ 20.00$	
10 00 14 10	₩•¥V	20.00	
CLADRASTIS lutea (Yellowwood)	30'-F	50 ′	
2 to 3 ft		7.50	
3 to 4 ft	1.20	10.00	
4 to 5 ft		12.50	•••••
5 to 6 ft		15.00	********
6 to 8 ft	2.10	17.50	•

Each	Per 10	Per 100
CORNUS (Dogwood)	1 61 10	1 61 100
C. florida (Whiteflowering Dogwood)	15′-25′	
2 to 3 ft		
3 to 4 ft		
4 to 5 ft	7.50	
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		
10 to 12 ft	35.00	********
12 to 14 ft. 3 to 3½ in. cal13.00 14 to 16 ft. 3½ to 4 in. cal18.00		
14 to 10 1t. 0 /2 to 4 m. can10.00	190.00	*********
C. florida kousa (Kousa Dogwood) 16		
2 to 3 ft., B&B		
3 to 4 ft., B&B		
4 to 5 ft., B&B 1.02	8.50	********
C. florida rubra (Redflowering Dogwo	od) 15'-	25'
18 to 24 in., B&B		********
2 to 2½ ft., B&B		
3½ to 4 ft., B&B 1.68		••••••
4 to 5 ft., B&B 1.80 5 to 6 ft., B&B 4.20		*******
5 to 6 ft., B&B		•••••
0 to 1 1t., B&B neavy 4.40	91.90	••••••
CRATAEGUS (Hawthorn)		
C. coccinea (Thicket Hawthorn) 12'-15	5 ′	
18 to 24 in		
C. crusgalli (Cockspur Thorn) 15'-20'		
18 to 24 in		•••••
2 to 3 ft		
0 to ± 1t	•••••	*******
C. oxyacantha (English Hawthorn) 1	5'-20'	
18 to 24 in		
2 to 3 ft	4.00	•••••••
C. oxyacantha pauli (Paul's Scarlet T	horn)	15'-20'
3 to 4 ft		
4 to 5 ft		
5 to 6 ft 1.10		•••••
C. prunifolia (Plumleaf Hawthorn) 25	5'-30'	
18 to 24 in		
2 to 3 ft		
	, , ,	
FRAXINUS americana (alba) (White A		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.02	8.50	75.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 1.50 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 2.10	12.50 17.50	$115.00 \\ 150.00$
10 to 12 ft., 1 $\frac{1}{4}$ to 2 fm. cal. 2.10 12 to 14 ft., 2 to $2\frac{1}{2}$ in. cal. 2.40		
12 to 11 10., 2 to 2/2 iii. cai 2.40	20.00	110.00
GLEDITSIA triacanthos (Common Hone		60'-70'
5 to 6 ft	4.00	
	6.00	******
8 to 10 ft	8.00	
GYMNOCLADUS dioica (Kentucky Cor	feetree'	50'-70'
2 to 3 ft		
3 to 4 ft		
4 to 5 ft		
5 to 6 ft		
KOELREUTERIA paniculata (Goldenra		
3 to 4 ft	5.00	
4 to 5 ft	7.00	

Fool	Per 10 F	Don 100
		er 100
LABURNUM vulgare (Goldenchain) 20 2 to 3 ft		
3 to 4 ft		75.00
4 to 5 ft	11.00	100.00
4 10 5 11 1.59	11.00	100.00
LARIX europaea (European Larch) 50'	-60′	
6 to 8 ft., B&B		
8 to 10 ft., B&B 2.40		
10 to 12 ft., B&B 3.60	30.00	
LIQUIDAMBAR styraciflua (Sweetgum		
4 to 5 ft. 1.08		
5 to 6 ft. 1.45		•
8 to 10 ft. 2.40		
10 to 12 ft		•
12 to 14 ft. 4.80	40.00	
I IDIODENDON tulinifone (Tulintus)	100' 150	٦,
LIRIODENDRON tulipifera (Tuliptree)	100-190	
6 to 8 ft		
8 to 10 ft 1.08	9.00	
MAGNOLIA tripetala (Umbrella Magno	olia) 30'	40'
2 to 3 ft., B&B		
3 to 4 ft., B&B 1.25		
5 00 1 10, Dab	•••••	••••••
MALUS (Flowering Crab)		
M. atrosanguinea (Carmine Crab) 12	′-15′	
	4.00	35.00
	5.00	45.00
_	6.00	50.00
		00.00
M. ioensis plena (Bechtel's Crab) 12'	-16'	
2 to 3 ft		20.00
	4.00	35.00
	6.50	55.00
MORUS (Mulberry)		
M. alba pendula (Teas Weeping Mul	berry) 8'	-10'
1 yr. heads, 5 to 6 ft. stem		
2 yr. heads, 5 to 6 ft. stem90		
N/C 31 / / / / / / / / / / / / / / / / / /	051 501	
M. alba tatarica (Russian Mulberry)		
5 to 6 ft		
6 to 8 ft	5.00	•••••
PHOTINIA villosa (Christmasberry) 1	0' 15'	
2 to 3 ft		
	3.00 3 4.00	,
4 10 9 11	5.00	
PLATANUS (Planetree; Sycamore)		
P. occidentalis (American Planetree of	r Sycom	ara)
75'-100'	1 bytam	Jie)
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal85	7.00	60.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.02	8.50	75.00
10 to 10 ft, 174 to 172 m. cal. 1.02	11.00	
10 to 12 ft., 1½ to 1¾ in. cal. 1.35		
10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 1.80	15.00	
P. orientalis (European or Oriental P.	anetree)	70'-80'
6 to 8 ft		35.00
8 to 10 ft., 1 to 1¼ in. cal72		50.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal98		
10 to 12 ft., 1½ to 1¾ in. cal. 1.20		
10 to 12 ft., 1½ to 1¼ m. cal. 1.20		
12 to 14 ft., 2 to 2 ¹ / ₄ in. cal. 1.80		130.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in. cal. 1.80 12 to 14 ft., $2\frac{1}{2}$ to $2\frac{1}{2}$ in. cal. 2.40		175.00
$2\frac{1}{2}$ to 3 in. cal. 3.00		
		225.00
3 to $3\frac{1}{2}$ in. cal. 3.90	32.50	300.00

			-
Ħ	lach	Per 10	Per 100
POPULUS (Poplar)	20011	1 01 10	1 01 100
P. bolleana (Bolleana Poplar) 50'	-60′		
6 to 8 ft		7.00	60.00
8 to 10 ft		9.00	80.00
10 to 12 ft			
		11.00	-
P. eugenei (Carolina Poplar) 75'			
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.		4.50	40.00
12 to 14 ft., $1\frac{1}{2}$ to 2 in. cal.	.85	7.00	60.00
P. lasiocarpa (Chinese Poplar) 50	'. 60'		
8 to 10 ft	.40	3.25	28.00
10 to 12 ft., 1½ to 2 in. cal	.55	4.50	40.00
10 to 12 it., 1/2 to 2 iii. cai	.00	4.00	40.00
P. nigra italica (Lombardy Popla	r) 60	0'-80'	
5 to 6 ft., transplanted		2.50	20.00
6 to 8 ft., transplanted	.42	3.50	30.00
8 to 10 ft	.45	3.75	35.00
10 to 12 ft	.55	4.50	40.00
10 to 12 ft., heavy	.78	6.50	
12 to 15 ft., $1\frac{1}{2}$ to 2 in. cal	.90	7.50	$\boldsymbol{65.00}$
DDIINIIC (Floresping Dlum and Ch		`	
PRUNUS (Flowering Plum and Ch	_		•
P. cerasifera pissardi (Purpleleaf	Plu		
3 to 4 ft			
4 to 5 ft			• • • • • • • • •
5 to 6 ft	.72	6.00	
P. tomentosa (Nanking Cherry)	6′-8′		
18 to 24 in		2.00	
2 to 3 ft		2.50	

P. triloba (Flowering Plum, tree			
2 to 3 ft			
3 to 4 ft.	.48		
4 to 5 ft	.60	5.00	
QUERCUS palustris (Pin Oak) 75'	_100°	•	
5 to 6 ft			
6 to 8 ft			
8 to 10 ft., 1 to 1¼ in. cal.			
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.			
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.			
9 to 11 ft., 1¾ to 2 in. cal.			
11 to 12 ft., 2 to $2\frac{1}{2}$ in. cal.			
· ·			•••
SALIX pentandra (Laurifolia) (Lau	urel	Leaf W	illow)
20'-30'	0.0		
5 to 6 ft			
6 to 8 ft	.72		
8 to 10 ft	.98	8.00	••••••
SASSAFRAS variifolium (Common	n Sa	ssafras	30'-60'
18 to 24 in	.3	0 250	
2 to 3 ft		3.25	
3 to 4 ft		4.50	
4 to 5 ft		5.50	
SORBUS aucuparia (European M	ount	ain-ash)	25'-30'
6 to 8 ft			•••••
8 to 10 ft	1.20	10.00	
TILLY and the second of the se	. \ 77	001	
TILIA americana (American Linder			CO OO
6 to 8 ft	68. 1 Ac	7.UU	
8 to 10 ft			80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.			100.00
10 to 12 ft., 1½ to 1¼ in. cal. 10 to 12 ft., 1¼ to 2 in. cal.		20.00	
10 00 12 10., 1/4 00 2 III. Cal.	₩•¥\	, 40,00	*******

Each Per 10 P	Per 100
ULMUS (Elm)	
U. americana (American Elm) 80'-100'	
6 to 8 ft	30.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal72 6.00	50.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal85 7.00	60.00
10 to 12 ft., 1½ to 1¾ in. cal. 1.08 9.00	80.00
10 to 12 ft., 1¾ to 2 in. cal. 1.35 11.00	100.00
12 to 14 ft., 2 to $2\frac{1}{4}$ in. cal. 1.92 16.00	140.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal. 2.40 20.00	175.00
$2\frac{1}{2}$ to 3 in. cal. 3.30 27.50	
3 to $3\frac{1}{2}$ in. cal. 4.20 35.00	
$3\frac{1}{2}$ to 4 in. cal. 5.08 42.50	
U. americana molini (Moline Elm) 80'-100'	
8 to 10 ft., 1¼ to 1½ in. cal. 1.20 10.00	
10 to 12 ft., 1½ to 1¾ in. cal. 1.80 15.00	
12 to 14 ft., 1¾ to 2 in. cal. 2.10 17.50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2 to 2/4 m. can 9.00 29.00	
U. foliacea suberosa (Corkbark Elm) 50'-60'	• •
4 to 5 ft	
5 to 6 ft	
6 to 8 ft	
8 to 10 ft	• • • • • • • • • • • • • • • • • • • •
II 'I. (Ol.: Til) FO' 75'	
U. pumila (Chinese Elm) 50'-75'	40.00
5 to 6 ft	40.00
6 to 8 ft	60.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal. 1.08 9.00	80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.50 12.50	•••••
10 to 12 ft., 1½ to 1¾ in. cal. 1.68 14.00	••••••
10 to 12 ft., 1¾ to 2 in. cal. 2.05 17.00	••••••
2 to $2\frac{1}{4}$ in. cal. 2.40 20.00	••••••
$2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal. 3.00 25.00 $2\frac{1}{2}$ to 3 in. cal. 3.60 30.00	
272 to 5 III. car. 5.00 50.00	•••••
Nut Trees	
rut rices	
Each Per 10 H	Per 100
CORYLUS avellana (Filbert) 10'-15'	CI LOC
2 to 3 ft	
3 to 4 ft	••••••
4 to 5 ft	*********
	•••••
JUGLANS (Walnut)	
J. nigra (Black Walnut) 80'-100'	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
I sighaldians (Isnanga Walnut) En' co'	
J. sieboldiana (Japanese Walnut) 50'-60'	
5 to 6 ft	
6 to 8 ft	•••••
0 to 10 1tt 1.00 9.00	
Deciduous Shrubs	
Decided of the distance of the	

Prices quoted on Deciduous Shrubs are for plants dug with bare roots except as noted. Additional charge made to ball and burlap deciduous shrubs.

ACANTHOPANAX pentaphyllum	(Arali	a penta	phylla)
		Per 10	Per 100
18 to 24 in		1.50	•••••
2 to 3 ft	25	2.00	••••••

		er 10 F	Per 100
ALTHAEA (Althea; Hibiscus; Rose	e-of-Sh	naron)	
A. amplissima. 10'-12' Double re-	d.		
18 to 24 in.		1.00	•
2 to 3 ft	.18	1.50	
A. anemonaeflorus. 10'-12' Double		la	
18 to 24 in			
2 to 3 ft.		1.50	
		1.00	
A. Jeanne d'Arc. 10'-12' Double		4.00	
18 to 24 in.		1.00	
2 to 3 ft	.18	1.50	•••••
A. peaone flore. 10'-12' White with	h red	center.	
18 to 24 in.			
2 to 3 ft	.18	1.50	
3 to 4 ft	.25	2.00	
AMODDATA COMPANY	01 101		
AMORPHA fruticosa (Indigobush)		1.05	10.00
2 to 3 ft	$\begin{array}{c} .15 \\ .20 \end{array}$	$\begin{array}{c} 1.25 \\ 1.75 \end{array}$	$10.00 \\ 15.00$
4 to 5 ft	.20 $.28$	2.25	20.00
5 to 6 ft		3.00	25.00
•	.00	9.00	20.00
ARONIA melanocarpa (Black Chol	keberr;	y) 8'-10	0 ′
12 to 18 in.		1.20	10.00
18 to 24 in.			17.50
2 to 3 ft		2.59	20.00
3 to 4 ft	.42	3.50	30.00
AZALEA mollia (Daciduous Chines	10 A 70	100) 4'	e'
AZALEA mollis (Deciduous Chines 12 to 15 in., B&B			47.50
15 to 18 in. B&B			
19 00 10 111. D&D	•••	*****	
BENZOIN aestivale (Spicebush) 10) '-12'		
18 to 24 in		2.00	
2 to 3 ft		3.00	
3 to 4 ft	.48	4.00	
BERBERIS (Barberry)	Per	Por	Per
Each			
B. thunbergi (Japanese Barberry			1000
8 to 12 in. 2 yr		5.00	40.00
12 to 15 in., 2 yr			
15 to 18 in., 3 yr	.90	7.50	65.00
18 to 24 in., 3 yr	1.20	10.00	
2 to 2½ ft., 3 yr	1.60	13.00	110.00
D 41	1	Dad Ta	of Don
B. thunbergi atropurpurea (Japa	nese l	Rea Lea Don 10	ar - bar-
berry) 5'-6' 1 8 to 12 in. 1 yr	08	70	6.00
3 year strong bushy:	.00	•••	0.00
10 to 12 in	.09	.80	7.00
$\overline{12}$ to $\overline{15}$ in.		1.00	8.50
15 to 18 in		1.25	10.00
18 to 24 in		1.50	12.00
$\frac{2}{2}$ to $\frac{2}{2}$ ft.		2.00	
$2\frac{1}{2}$ to 3 ft	.38	3.00	27.50
B. thunbergi minor (Box Barber)	rv) 2'-	-3'	
9 to 12 in.		1.00	8.00
12 to 15 in.		1.50	
15 to 18 in	.25	2.00	17.50
18 to 24 in	.30	2.50	20.00
P wilcones (Wilcon Panhaum)	5'_6'		
B. wilsonae (Wilson Barberry) 5 12 to 15 in		1.75	15.00
14 10 19 111,	. ,40	**10	¥0,04

I	Each I	Per 10	Per 100
BUDDLEIA davidi magnifica (Butt	erflyb	ush) 10	0'-12'
18 to 24 in., medium	.20	1.75	15.00
2 to 3 ft., 2 yr. No. 1	.28	2.25	18.00
3 to 4 ft., 3 yr. heavy	.38	3.00	25.00
CALLICARPA purpurea (Chinese	Beau	tyberry	7) 4'-5'
2 to 3 ft	.25	2.00	17.50
3 to 4 ft	.30	2.50	20.00
CALYCANTHUS floridus (Sweetsh	rub) (3'-8'	
12 to 18 in	.12	1.00	8.00
18 to 24 in			10.00
2 to 3 ft			15.00
3 to 4 ft	.35	2.75	
CARYOPTERIS incana (Blue Spire	a) 3'-	4'	
12 to 18 in		2.00	17.50
18 to 24 in		2.50	20.00
2 to 3 ft	.38	3.00	25.00
CEPHALANTHUS occidentalis (Bu	attonb	ush) 8'	'-10 '
18 to 24 in	.18	1.50	12.00
2 to 3 ft			
3 to 4 ft	:30	2.50	20.00
CHIONANTHUS virginica (White			15'-18'
12 to 18 in		2.50	•••••
18 to 24 in	.40	3.25	••••••
COLUTEA arborescens (Common	Bladd	er-senn	a)
10'-12'	05	0.00	
2 to 3 ft	.25	2.00	
2 to 1 ft			
3 to 4 ft		2.50	
CORNUS (Dogwood)	.30		
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-	.30 10'	2.50	********
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'- 18 to 24 in	.30 10' .15	2.50 1.25	10.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'- 18 to 24 in	.30 10' .15 .18	2.50	********
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'- 18 to 24 in	.30 10' .15 .18 .20	2.50 1.25 1.50	10.00 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'- 18 to 24 in	.30 10' .15 .18 .20	2.50 1.25 1.50	10.00 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20	2.50 1.25 1.50 1.75	10.00 12.00 15.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 od) 10	2.50 1.25 1.50 1.75 1.50 '-12'	10.00 12.00 15.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 od) 10 .12	2.50 1.25 1.50 1.75	10.00 12.00 15.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 od) 10 .12 .18 .25	2.50 1.25 1.50 1.75 1.50 '-12' 1.00 1.50 2.00	10.00 12.00 15.00 12.00 8.00 12.00 17.50
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 od) 10 .12 .18 .25	2.50 1.25 1.50 1.75 1.50 '-12' 1.00 1.50	10.00 12.00 15.00 12.00 8.00 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 od) 10 .12 .18 .25 .30 d) 8'-	2.50 1.25 1.50 1.75 1.50 '-12' 1.00 1.50 2.00 2.50	10.00 12.00 15.00 12.00 8.00 12.00 17.50 20.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .21 .18 .25 .30 d) 8'12	2.50 1.25 1.50 1.75 1.50 '-12' 1.00 1.50 2.00 2.50 10' 1.00	10.00 12.00 15.00 12.00 12.00 17.50 20.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in. 2 to 3 ft. 3 to 4 ft. C. baileyi (Bailey Dogwood) 8'-16 2 to 3 ft. C. sanguinea (Bloodtwig Dogwood) 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. C. stolonifera (Red-osier Dogwood) 18 to 24 in. 2 to 3 ft. 2 to 3 ft.	.30 10' .15 .18 .20 0' .18 ed) 10 .12 .18 .25 .30 d) 8'12 .18	2.50 1.25 1.50 1.75 1.50 '-12' 1.00 1.50 2.00 2.50 10' 1.00 1.50	10.00 12.00 15.00 12.00 8.00 12.00 17.50 20.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .0d) 10 .12 .18 .25 .30 d) 8'12 .18 .25	2.50 1.25 1.50 1.75 1.50 '-12' 1.00 1.50 2.00 2.50 10' 1.00 1.50 2.00	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .21 .18 .25 .30 d) 8'12 .18 .25 twig I	2.50 1.25 1.50 1.75 1.50 '-12' 1.00 1.50 2.00 2.50 10' 1.00 1.50 2.00 Dogwood	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 od) 6'-8'
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 10' .18 .20 10' .18 .20 11 .18 .25 .30 12 .18 .25 twig 1 .18	2.50 1.25 1.50 1.75 1.50 2.00 2.50 1.00 1.50 2.00 1.50 2.00 0 gwod 1.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 od) 6'-8' 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .0d) 10 .12 .18 .25 .30 d) 8'12 .18 .25 twig J .18 .25	2.50 1.25 1.50 1.75 1.50 2.00 2.50 10' 1.00 1.50 2.00 0 gwood 1.50 2.00	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 od) 6'-8' 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'- 18 to 24 in	.30 10' .15 .18 .20 0' .18 .21 .18 .25 .30 d) 8'12 .18 .25 twig J .18 .25 .30	2.50 1.25 1.50 1.75 1.50 2.00 2.50 10' 1.00 1.50 2.00 2.50 0 gwood 1.50 2.00 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 od) 6'-8' 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'- 18 to 24 in	.30 10' .15 .18 .20 0' .18 0d) 10 .12 .18 .25 .30 d) 8'12 .18 .25 .30 twig 1 .18 .25 .30	2.50 1.25 1.50 1.75 1.50 2.00 2.50 10' 1.00 1.50 2.00 2.50 0 gwod 1.50 2.00 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 od) 6'-8' 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .21 .18 .25 .30 d) 8'12 .18 .25 .30 twig J .18 .25 .30 .18	2.50 1.25 1.50 1.75 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 od) 6'-8' 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .21 .18 .25 .30 d) 8'12 .18 .25 .30 twig J .18 .25 .30 .18	2.50 1.25 1.50 1.75 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 od) 6'-8' 12.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .25 .30 d) 8'12 .18 .25 twig 1 .18 .25 .30 ma) 7 .18 Flowering	2.50 1.25 1.50 1.75 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 2.50 2.00 2.50 2.00 2.50 2.00 2.50 2.00 2.50 2.00 2.50 2.00 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 17.50 ed) 6'-8' 12.00 12.00 17.50 ed) 6'-8' 12.00 12.00 12.00 13.0
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .01 .12 .18 .25 .30 d) 8'12 .18 .25 twig J .18 .25 .30 ma) 7 .18 Flowering .12	2.50 1.25 1.50 1.75 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 d) 6'-8' 12.00 12.00 12.00 12.00 12.00 13.00 12.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .0d) 10 .12 .18 .25 .30 d) 8'12 .18 .25 .30 ma) 7 .18 Flowering .12 .15	2.50 1.25 1.50 1.75 1.50 2.00 2.50 10' 1.00 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.50 1.50 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 20.00 12.00 17.50 20.00 8.00 12.00 17.50 20.00
CORNUS (Dogwood) C. amomum (Silky Dogwood) 8'-18 to 24 in	.30 10' .15 .18 .20 0' .18 .25 .30 d) 8'12 .18 .25 twig 1 .18 .25 .30 ma) 7 .18 Flowering .12 .15 .18	2.50 1.25 1.50 1.75 1.50 2.00 2.50 10' 1.00 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.00 2.50 1.50 2.50 1.50 2.50	10.00 12.00 15.00 12.00 12.00 17.50 20.00 8.00 12.00 17.50 20.00 12.00 17.50 20.00 8.00 12.00 17.50 20.00

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

	Each	Per 10	Per 100
DEUTZIA			
D. gracilis (Slender Deutzia) 3'			
8 to 12 in			
12 to 15 in		-	
15 to 18 in	20	1.75	15.00
D. gracilis rosea (Rose Panicle	Deutz	zia) 3'-4	4 ' -
15 to 18 in	20	1.75	
18 to 24 in	25	2.00	•••••
D. lemoinei (Lemoine Deutzia)	4'-5'		
12 to 18 in		1.00	
18 to 24 in			
2 to $2\frac{1}{2}$ ft	25	2.00	
$2\frac{1}{2}$ to 3 ft	30	2.50	
D. scabra candidissima (Snowfla	ako D	outzio)	Q' 10'
18 to 24 in			
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	30		
5 to 6 ft		3.00	25.00
6 to 7 ft	42	3.50	30.00
D. scabra crenata flore-pleno (I	Double	Pink I	Deutzia)
6'-8' 18 to 24 in	12	1.00	8.00
2 to 3 ft			
3 to 4 ft		2.00	17.50
4 to 5 ft		2.50	20.00
5 to 6 ft		3.00	25.00
D. scabra fortunei (Fortune Der		6'-8'	
18 to 24 in			
2 to 3 ft			
3 to4 ft			17.50 20.00
5 to 6 ft			25.00
6 to 7 ft			30.00
D. scabra Pride of Rochester (F			
18 to 24 in			
2 to 3 ft			
3 to 4 ft			
5 to 6 ft			
	90	9.00	20.00
ELAEAGNUS angustifolia (Russi	ian Ol	ive) 15'	'-18 '
3 to 4 ft			
4 to 5 ft			
5 to 6 ft		4.50	
6 to 8 ft	72	6.00	
EUONYMUS			
E. alatus (Winged Euonymus)			
18 to 24 in.		2.00	•••••
2 to 3 ft		2.50	*******
3 to 4 ft			•••••
4 to 5 ft		$3.50 \\ 4.50$	•••••
5 to 6 ft	55	4.90	•••••
E. americanus (Brook Euonymu	ıs) 7'-	8 '	
18 to 24 in	25	2.00	
2 to 3 ft		2.50	
3 to 4 ft		3.00	*******
4 to 5 ft			••••••
5 to 6 ft	55	4.50	

•			
		er 10 P	er 100
E. atropurpureus (Wahoo Euonym	,	20'-25'	
18 to 24 in	.25	2.00	•••••
2 to 3 ft	.30	2.50	
3 to 4 ft	.38	3.00	•••••
4 to 5 ft.	.42	3.50	
5 to 6 ft	.55	4.50	
E. europaeus (European Burningb	oush	12'-16'	
12 to 18 in	.18	1.50	
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.38	3.00	
4 to 5 ft.	.42	3.50	
5 to 6 ft	.55	4.50	••-
EXOCHORDA grandiflora (Commo	n Pes	ir]hiish`	6'-9'
18 to 24 in	.12	1.00	8.00
2 to 3 ft.	.12	1.25	10.00
3 to 4 ft	.20	1.75	15.00
	.30	2.50	20.00
	.42	3.50	
FORSYTHIA			
	6'-9'		
F. intermedia (Border Forsythia) 18 to 24 in.	.12	1.00	8.00
2 to 3 ft.	.12	1.00 1.50	$\begin{array}{c} 8.00 \\ 12.00 \end{array}$
3 to 4 ft	.18 $.25$	$\begin{array}{c} \textbf{1.50} \\ \textbf{2.00} \end{array}$	12.00 17.50
4 to 5 ft	.20	2.50 2.50	$\begin{array}{c} 17.30 \\ 20.00 \end{array}$
5 to 6 ft	.38	3.00	25.00
6 to 7 ft.	.42	3.50	20.00
F. intermedia spectabilis (Showy			
6'-8'	10	1 00	0.00
18 to 24 in	.12 .18	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	$\begin{array}{c} 8.00 \\ 12.00 \end{array}$
2 to 3 ft	.18 $.25$	$\begin{array}{c} \textbf{1.50} \\ \textbf{2.00} \end{array}$	12.00 17.50
4 to 5 ft	.29 $.30$	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	20.00
5 to 6 ft	.38	3.00	20.00
		J	
F. suspensa (Weeping Forsythia) 2 to 3 ft	6′-8′ .18	1.50	
F. suspensa fortunei (Fortune For	rsvthi	a) 6'-8'	
18 to 24 in.	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
F. viridissima (Greenstem Forsytl	hia) 7	''_Q'	
18 to 24 in.	.12	1.00	8.00
2 to 3 ft	.12	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft.	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
6 to 7 ft	.42	3.50	30.00
HAMAMELIS virginiana (Common 12'-16'			
12 - 16 18 to 24 in	.18	1.50	
2 to 3 ft.	.18 $.25$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	•
2 to 3 it	.25 $.38$	$\begin{array}{c} 2.00 \\ 3.00 \end{array}$	
O UJ T 10	.00	9.00	
HIBISCUS syriacus—See Althaea			
HYDRANGEA	_		
H. arberescens grandiflora (Hills gea) 4'-5'			
12 to 18 in.	.12	1.00	8.00
13 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	2.00	17.50

	. .	30 40	7
		Per 10	
H. paniculata grandiflora (Peege	e Hy		
12 to 18 in		1.00	8.00
18 to 24 in		1.50	
2 to 3 ft			17.50
3 to 4 ft	30	2.50	20.00
KOLKWITZIA amabilis (Beautybu	ich) 6	, 0,	
18 to 24 in	1511) U	2.50	20.00
2 to 3 ft		3.00	25.00
2 00 5 10	90	9.00	20.00
LESPEDEZA			
L. bicolor (Shrub Bushclover) 8'	-10'		
2 to 3 ft		1.50	13.50
3 to 4 ft		2.00	17.50
4 to .5 ft	30	2.50	20.00
5 to 6 ft		3.00	25.00
L. formosa (Purple Bushclover)		0.70	
3 to 4 ft., 3 yr. No. 1		2.50	••••
4 to 5 ft., 4 yr. No. 1	.40	3.25	
LIGUSTRUM (Privet)			
L. amurense (Amur River North	. Priv	at) 19'-	15'
12 to 18 in		3.00	25.00
18 to 24 in.		4.00	35.00
2 to 3 ft		5.00	45.00
3 to 4 ft		10.00	
0 00 4 10	1.20	10.00	••••
	Per	Per	Per
Each	10	100	1000
L. ibota (Ibota Privet) 8'-10'			
18 to 24 in	.60	4.00	
2 to 3 ft	.70	5.00	45.00
3 to 4 ft.	1.00	8.00	10.00
3 to 4 ft	1.00	8.00	70.00
L. ibota regelianum (Regel Prive		_	70.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25	6′ 10.00	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) $4'$ - 1.25 1.50	10.00 12.00	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) $4'$ - 1.25 1.50	10.00 12.00	••
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	$egin{array}{c} 4'.\ 1.25 \ 1.50 \ 2.00 \end{array}$	10.00 12.00	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	$egin{array}{c} 4'.\ 1.25 \ 1.50 \ 2.00 \end{array}$	10.00 12.00	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00	10.00 12.00 17.50 20.00	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50	10.00 12.00 17.50 20.00	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50	10.00 12.00 17.50 20.00	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back	10.00 12.00 17.50 20.00 15' for bus	shiness
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per	10.00 12.00 17.50 20.00 15' for but	shiness
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'- back Per 10	10.00 12.00 17.50 20.00 15' for bus	shiness
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-1 back Per 10	10.00 12.00 17.50 20.00 15' for buse Per 100	shiness Per 1000
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-1 back Per 10 .25	10.00 12.00 17.50 20.00 15' for but	shiness
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-1 back Per 10 .25	10.00 12.00 17.50 20.00 15' for buse Per 100 2.00	shiness Per 1000
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-1 back Per 10 .25	10.00 12.00 17.50 20.00 15' for buse Per 100	shiness Per 1000
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75	shiness Per 1000 16.00 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'- back Per 10 .25 .35	10.00 12.00 17.50 20.00 15' for buse Per 100 2.00	shiness Per 1000
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75 4.00	shiness Per 1000 16.00 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75	shiness Per 1000 16.00 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-1 back Per 10 .25 .35 .48	10.00 12.00 17.50 20.00 15' for buse Per 100 2.00 2.75 4.00 5.00	hiness Per 1000 16.00 22.50 32.50 40.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78	10.00 12.00 17.50 20.00 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50	shiness Per 1000 16.00 22.50 32.50 40.00 55.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78 1.20	10.00 12.00 17.50 20.00 15' for buse Per 100 2.00 2.75 4.00 5.00	hiness Per 1000 16.00 22.50 32.50 40.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'- back Per 10 .25 .35 .48 .60 .78 1.20	10.00 12.00 17.50 20.00 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00	shiness Per 1000 16.00 22.50 32.50 40.00 55.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'- back Per 10 .25 .35 .48 .60 .78 1.20	10.00 12.00 17.50 20.00 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50	shiness Per 1000 16.00 22.50 32.50 40.00 55.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78 1.20 3.00	10.00 12.00 17.50 20.00 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00	shiness Per 1000 16.00 22.50 32.50 40.00 55.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00 s.	10.00 12.00 17.50 20.00 15' for bus Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00	shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 s.	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00	shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 s.	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00	shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'- back Per 10 .25 .35 .48 .60 .78 1.20 3.00 s. Each fen Ca	10.00 12.00 17.50 20.00 15' for buse Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 I	shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 s. Each 5 en Ca	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 I lifornia 1.25	shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 s. Each 5 en Ca .15 .25	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 I lifornia 1.25 2.00	shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00 10.00 17.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	et) 4'- 1.25 1.50 2.00 2.50) 10'-5 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 s. Each 5 en Ca .15 .25	10.00 12.00 17.50 20.00 15' for but Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 I lifornia 1.25	shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00

		er 10 P	er 100
LONICERA (Honeysuckle, bush type L. fragrantissima (Winter Honey	oes) suckle	6'-8'	0
18 to 24 in	.18	1.50	
2 to 3 ft		1.75	•••••
3 to 4 ft	.30	2.50	
L. maacki podocarpa (Late Hone			2'
2 to 3 ft		2.00	•••••
L. morrowi (Morrow Honeysuckle 2 to 3 ft	.18	1.50	12.00
3 to 4 ft		2.00	17.50
4 to 5 ft	.30	2.50 .	20.00
5 to 6 ft		3.00	25.00
L. syringantha (Lilac Honeysuck			
18 to 24 in. 2 to 3 ft.	.40 .48	$\begin{array}{c} 3.25 \\ 4.00 \end{array}$	••••••
*			8'-10'
L. tatarica alba (White Tatarian 18 to 24 in	.15	1.25	10.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
L. tatarica siberica (Red Tatarian 8'-10'	1 Hon	eysuckl	e)
18 to 24 in	.15	1.25	10.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
MYRICA cerifera (Southern Waxm	yrtle)	25'-30'	
12 to 18 in	.25	2.00	
18 to 24 in	.38	3.00	
PHILADELPHUS (Mockorange)			
P. coronarius (Sweet Mockorange			
18 to 24 in	.15	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	••••••
2 to 3 ft	.18 .25	2.00	••••••
4 to 5 ft	.30	2.50	
5 to 6 ft	.42	3.50	
6 to 7 ft	.48	4.00	•••••
P. grandiflorus (Big Scentless M	ockor	ange) 8	3'-10'
2 to 3 ft	.18	$\tilde{1.50}$	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	
5 to 6 ft		3.00	25.00
P. lemoinei (Lemoine Mockorang	e) 6'-	8′	
18 to 24 in		$1.50 \\ 2.00$	
			••••••
P. virginal (Virginal Mockorange	e) 77-8		
18 to 24 in. 2 to 3 ft.		$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	
	.20	2.00	••••••
PHYSOCARPOS (Ninebark)	-\ 01 -	0'	
P. opulifolius (Common Ninebarl 3 to 4 ft		1.50	12.00
4 to 5 ft		2.00	17.50
5 to 6 ft		2.50	20.00
P. opulifolius aureus (Goldleaf N	inebar	rk) 8'-1	0'
2 to 3 ft		1.50	12.00
3 to 4 ft	.25		17.50
4 to 5 ft		2.50	
5 to 6 ft	.38	3.00	25.00

			•
Ea	ach E	Per 10 1	Per 100
POTENTILLA (Cinquefoil)			
P. fruticosa (Shrubby Cinquefoil)	3'-4'		
12 to 18 in		1.50	
18 to 24 in	.25	2.00	•
P. fruticosa veitchi (Veitch Cinque	efoil)	3'-4'	
15 to 18 in		2.00	
RHAMNUS caroliniana (Carolina Bu			
2 to 3 ft		2.00	•••••
3 to 4 ft	_	$\begin{array}{c} 2.50 \\ 3.00 \end{array}$	•••••
5 to 6 ft		4.00	••••••
			•••••••
RHODOTYPOS kerrioides (Jetbead)			
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	•••••
RHUS (Sumac)			
,	4'-5'		
18 to 24 in	.20	1.75	
2 to 3 ft	.30	2.50	
R. cotinus (Common Smoketree;	Purn	le Frin	ഗ്ല)
12'-15'	r urp.	ic rim	5C)
2 to 3 ft	.38	3.00	
	.48	4.00	
4 to 5 ft.	.72	6.00	
5 to 6 ft	.90	7.50	
6 to 8 ft	1.50	12.50	
ROBINIA hispida (Rose-acacia) 5'-7	,		
18 to 24 in		2.00	
2 to 3 ft		3.00	

RUBUS odoratus (Flowering Raspbe			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
SAMBUCUS canadensis aurea (Gold	en A	mericai	า
Elder) 10'-12'			· -
2 to 3 ft	.25	2.00	
3 to 4 ft	.38	3.00	
4 to 5 ft	.48	4.00	
5 to 6 ft	.60	5.00	
SORBARIA sorbifolia (Ural False-s	pirea	a) 8'-10	,
2 to 3 ft.		2.00	
3 to 4 ft	.38	3.00	
SPIRAEA (Spirea)			
S. Anthony Waterer (Anthony Wa	tere	r Snire	a.) 3'-4'
15 to 18 in	.18		a) 0 - 4
18 to 24 in	_	2.00	
2 to 2½ ft		3.00	
S. arguta (Garland Spirea) 4'-6'			
2 to 3 ft	.25	2.00	
·			
S. billiardi (Billiard Rosea Spirea	•		0 00
18 to 24 in	.12		$\begin{array}{c} 8.00 \\ 12.00 \end{array}$
2 to 3 ft	.18 .25		17.50
3 to 4 ft		$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	
S. billiardi alba (White Billiard S)	pirea) 4'-6'	
18 to 24 in	.12	1.00	8.00
2 to 5 II	.19	- 1.90	17.00
3 to 4 ft. 4 to 5 ft.	3U	2.UU	30 00 11.90
7 to 0 1ti	• 少U	: ., 2.0 0	40.00

. 17	ach D	er 10 P	or 100
S. fortunei (Fortune Spirea) 3'-4'	ach 1	61 10 1	er 100
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
S. japonica (Callosa alba) (Fortu 18 to 24 in	ne Sp .18	irea) 5' 1.50	-6' 12.00
2 to 3 ft	.16	2.00	17.50
3 to 4 ft	.30	2.50	20.00
S. prunifolia (Bridal Wreath) 7'-8	,		
12 to 18 in	.12	1.00	•••••
18 to 24 in	.18	1.50	
S. reevesiana (Reeves Spirea) 6'-8		105	10.00
18 to 24 in 2 to 3 ft	.15 .18	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	10.00 12.00
3 to 4 ft	.20	1.75	15.00
4 to 5 ft	.25	2.00	17.50
5 to 6 ft	.38	3.00	•••••••
S. thunbergi (Thunberg Spirea) 4			6.
18 to 24 in	.18	1.50	12.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} .25 \\ .30 \end{array}$	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	17.50 20.00
3 to 4 ft	.38	-3.00	25.00
		3.00	20.00
S. tricocarpa (Korean Spirea) 5'-0 2 to 3 ft	.25	2.00	17.50
3 to 4 ft	.30	2.50	20.00
S. vanhouttei (Vanhoutte Spirea)	6'-9'		
2 to 3 ft	.12	1.00	8.00
3 to 4 ft	.15	1.25	10.00
SYMPHORICARPOS			
S. racemosus (White Snowberry)	4'-6'		
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18 .25	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	12.00 17.50
	.20	2.00	17.00
S. vulgaris (Coralberry) 4'-5' 18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	
3 to 4 ft		2.00	
SYRINGA (Lilac)			
S. villosa (Late Lilac) 7'-8'			
18 to 24 in		1.00	
2 to 3 ft	.18	$1.50 \\ 2.00$	12.00
			•••••
S. vulgaris (Common Purple Lilace 18 to 24 in	2) 12 - 19	1.00	8.00
2 to 3 ft	.18	1.50	
3 to 4 ft	.25	2.00	
S. vulgaris alba (Common White	Lilac)	12'-15'	
12 to 18 in	.18	1.50	• • • • • • • • • • • • • • • • • • • •
	.25	2.00	17.50
S. vulgaris French Lilacs. 6'-12'			
Named Varieties			
Alexander Humboldt. Reddish	Purple	9. h1.	
Belle de Nancy. Light, violet-r Charles the Tenth. Reddish-pu	ea, do enla =	ubie. ingle	
Emile Lemoine. Double, rosy li	lac.	mgre.	
Michel Buchner. Double, pale p	ink.		
President Grevy. Blue violet to	soft	pink, d	ouble.
Princess Alexandria. Single where Rathmogensis. Single red.	lite, la	rge par	nicles.
	•	•	

WESTMINSTER, MARYLAND			
· · · · · · · · · · · · · · · · · · ·	ach F	Per 10 I	Per 100
Souv. de Ludwig Spaeth. Single		-	. C1 100
Wm. Robinson. Double violet,	pink.		
18 to 24 in			••••
2 to 3 ft	.42	3.50	
TAMARIX africana (African Taman	rix) 1	2'-14'	
2 to 3 ft			12.00
3 to 4 ft	.25		17.50
4 to 5 ft	.30	2.50	20.00
VIBURNUM	•		
V. americanum (American Cranbe	errybi	ush) 9'	-12′
18 to 24 in	.18		••••
2 to 3 ft	.25	2.00	
V. carlesi (Fragrant Viburnum) 4	l'-6'		
15 to 18 in. B&B	.90	7.50	•••••
V. dentatum (Arrowwood) 10'-12'		1.50	
2 to 3 ft	.25	2.00	17.50
3 to 4 ft.		2.50	
TT I A /TTT O · A A A A	. 01		
V. lantana (Wayfaring-tree) 14'-1 18 to 24 in		1 50	
2 to 3 ft	.18 .25	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	
3 to 4 ft		2.50	••••••
	•••		*********
V. lentago (Nannyberry) 18'-20'	95	0.00	
18 to 24 in	.25	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	•••••
3 to 4 ft		3.00	• • • • • • • • •
64		0.00	********
V. molle (Kentucky Viburnum) 1		1 50	
18 to 24 in 2 to 3 ft		$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	
2 00 3 10	.20	2.00	
V. opulus (European Cranberryb			
12 to 18 in		1.00	8.00
18 to 24 in 2 to 3 ft		$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$12.00 \\ 17.50$
			11.00
V. opulus sterile (Common Snowh			19.00
18 to 24 in 2 to 3 ft		$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$12.00 \\ 17.50$
V. tomentosum plicatum (Japan			
18 to 24 in 2 to 3 ft		$\begin{array}{c} 2.50 \\ 3.00 \end{array}$	20.00 25.00
VITEX negundo incisa (Cutleaf Cha			
2 to 3 ft		2.50	20.00
3 to 4 ft		$\begin{array}{c} 3.00 \\ 3.50 \end{array}$	$\begin{array}{c} 25.00 \\ 30.00 \end{array}$
4 to 5 ft	.42	3. 50	90.00
WEIGELA (DIERVILLA)	-		•
W. Eva Rathke (Redflowered We			
12 to 18 in		1.50	12.00
18 to 24 in		$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	17.50 20.00
2 to 3 ft	•	$\begin{array}{c} 2.50 \\ 3.50 \end{array}$	30.00
		1	
W. floribunda (Common Crimson	Weig	gela) 6'	'-8'
2 to 3 ft	.25	2.00	••••••
3 to 4 ft	.30	2.50	
W. nana variegata (Dwarf Varieg	gated	Weigel	a) 4'-6'
18 to 24 in	.18	1.50	·
18 to 24 in	.25	2.00	
3 to 4 ft	.30	2.50	*********

	Each	Per 10	Per 100
W. rosea (Pink Weigela) 6'-8'	,		
18 to 24 in	.12	1.00	8.00
2 to 3 ft	18	1.50	12.00
3 to 4 ft	25	2.00	17.50
4 to 4 ft	30	2.50	20.00

Roses

For Spring 1936 Delivery

We will have a fine assortment of sturdy specimen 2 yr. No. 1 Roses, either potted in 7 and 8 inch pots or dormant. 🔻

HYBRID TEA ROSES	Each	Per 10	Per 100
Dormant 2 yr. No. 1	.35	3.00	27.50
Potted 2 yr. No. 1			

Varieties

Betty. Copper, rose-gold, moderately double. Briarcliff. Deep rose-pink, moderately double.

Chas. K. Douglas. Flaming scarlet, double.

Dame Edith Helen. Pure glowing pink, very double.

Duchess of Wellington. Saffron yellow.

E. G. Hill. Dazzling scarlet, double.

Etoile de France. Crimson velvet.

Feu Joseph Looymans. Vivid yellow, shaded apricot,

long pointed buds.
Francis Scott Key. Crimson, very large, very double.
General MacArthur. Crimson scarlet, double.

Golden Emblem. Very fine yellow, double. Golden Ophelia. Bright golden yellow. Golden Pernet. Rich golden yellow.

J. J. L. Mock. Clear pink.

Joanna Hill. Clear yellow, double.

Killarney. Pink.

Los Angeles. Flame pink, shaded with gold at base of petals.

Mme. Butterfly. Bright light pink, shaded with gold. Mme. Edouard Herriot. Bright orange-pink, shaded gold.

Mrs. A. A. Barraclough. Carmine pink.

Mrs. Aaron Ward. Indian yellow, very floriferous, double.

Mrs. Chas. Bell. Soft pink, large.

Mrs. E. P. Thom. Lemon yellow, free-flowering, double. Mrs. Henry Bowles. Clear pink with lighter shades. Mrs. Henry Morse. Very handsome, soft flesh-cream

suffused with vermilion.

President Hoover. Orange and pink to coppery red.

Radiance Pink. Brilliant rosy-carmine, displaying beautiful rich and opaline-pink tints in the open flower.

Radiance Red. Bright, cheerful, even shade of red.

Rev. F. Page Roberts. Copper-red buds opening to golden yellow, stained outside with red, full double. Souv. de Georges Pernet. Brick-red opening to terra-

cotta-pink, immense, very double.

Sunburst. Orange-copper and golden yellow.

Talisman. Exquisite shadings of gold, apricot, yellow and deep pink or old rose.

Willowmere. Coral red suffused with carmine, opening to shaded yellow and flushed carmine-pink.

POLYANTHA or Baby Roses Each Per 10 Per 100 3.00 George Elger. Copperish golden-yellow to pale yellow. Golden Salmon. Reddish-orange blooms. Ideal. Double, red flowers in panicles. Best variety for cutting. RAMBLER AND CLIMBING ROSES Each Per 10 Per 100 Dorothy Perkins. Great clusters of small, shellpink flowers. Excelsa. Bright crimson flowers in large clusters. Gardenia. Rich creamy yellow flowers. fine ground-cover with glossy Wichuraiana. A leaves and clusters of starry white flowers. ROSE SPECIES Each Per 10 Per 100 .35 Dormant 2 yr. No. 1..... 3.00 Blanda (Meadow Rose) 4'-6'. Single, fragrant, rose-pink flowers in May and June, followed by glittering red fruit; almost thornless. Hugonis (Golden Rose of China) 5'-6'. Fragrant saucer-like flowers at lilac-time. A very desirable border rose. Palustris (Swamp Rose) 6'-8'. An excellent hedge or bank rose; pink flowers from June to August. Rubiginosa (Sweetbrier) 5'-6'. Bright pink flowers in June; good foliage with aromatic odor. Rubrifolia (Redleaf Rose) 5'-6'. Handsome purplish red foliage and tiny pink flowers. Makes a good winter subject. Rugosa (Rugosa Rose) 4'-5'. A handsome shrub with large pink flowers from June to September; large, conspicuous red fruits; rich green foliage. Useful in the shrubbery border, in the hedge or on banks. Setigera (Prairie Rose) 5'-6'. Bright pink flowers, valuable on rocky slopes and wasteland. Climbing Vines Each Per 10 Per 100 AKEBIA quinata (Fiveleaf Akebia) 15'-20' 15.0017.502.00AMPELOPSIS A. heterophylla (Porcelain Ampelopsis) 30'-40' 1.50 12.00

3 yr. No. 1.....

2.75

1.50

......

T 1 D 10 D 100
Each Per 10 Per 100 A. tricuspidata veitchi (Japanese Creeper or Boston Ivy) 40'-50'
2 yr. Medium
BIGNONIA radicans (Scarlet Trumpet or Trumpet- creeper) 30'-50'
2 yr. No. 1
CELASTRUS scandens (American Bittersweet) 20'-25' 1 yr. No. 1 .15 1.25 10.00 2 yr. No. 1 .20 1.75 15.00
CLEMATIS
C. montana grandiflora (Anemone Clematis) 20'-25' 3 in pots
C. paniculata (Sweet Autumn Clematis) 20'-25' 2 yr. No. 1
C. viticella (Italian Clematis) 12'-15' 2 yr. No. 1
HEDERA (Ivy)
H. coriacea (Korean Ivy) 4'-6' 2 1/4 in. pots
H. helix (English Ivy) 60'-70' 2 ¹ / ₄ in. pots
H. helix baltica (Hardy Baltic Ivy) 25'-30' 21/4 in. pots
H. helix gracilis (Miniature English Ivy) 75'-100' 2 in. pots
EUONYMUS—See Broadleaved Evergreens.
JASMINUM (Jasmine) J. nudiflorum (Winter Jasmine) 4'-5' 2 yr. No. 1
J. primulinum (Primrose Jasmine) 8'-10'
2 yr. No. 1
LONICERA sempervirens (Redflowering Trumpet Honeysuckle) 15'-20' 2 yr. No. 1
VINCA (Periwinkle or Myrtle)—See Broadleaved Evergreens.
VITIS coignetiae (Gloryvine) 20'-25' 3 yr. No. 1
WISTERIA W. multijuga (Longcluster Wisteria) 30'-50' 3 yr. No. 1, 2 to 3 ft
W. sinensis (Blue or Purple Chinese Wisteria) 30'-50' 2 yr. No. 1 .25 2.00 17.50 3 yr. No. 1 .30 2.50 20.00
5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

ACHILLEA (Yarrow)

Hardy Perennial and Rock Plants

This list of Hardy Herbaceous and Alpine Plants represents the results of the infinite care, time and patience we exercised to accumulate and establish a varied and satisfactory stock of plants that would be suitable to meet the most exacting planting requirements. The plants here listed have proven their hardiness and adaptability. For Fall most of the plants offered are transplanted field grown; for Spring most of the varieties will be well established in 3 inch pots in addition to field grown plants.

The varieties marked with a star (*) are suitable for Rock Gardens.

Each Per 10 Per 100

—filipendula. 4 ft. Excellent border plant. Flat heads of golden yellow flowers profusely borne from June			
to September. —millefolium roseum. 2 ft. Flat heads of rosy red flowers in June. Good			
*-tomentosa (Wooly Yarrow). 6-8 in. A neat carpet-like plant with brilliant yellow flowers from May to	.09	.75	6.00
August. Compact gray-green foliage.	.12	1.00	8.00
ACONITUM fischeri (Azure Monkshoo 2-3 ft. Deep blue flowers in August and September. Likes moisture and some shade.		1.25	
AETHIONEMA (Persian Candytuft) *-persicum. 8-10 in. A gem for the rockery with light rose flowers in June, and tidy blue-gray foliage; likes full sun.	.15	1.25	10.00
*-pulchellum. 4 in. Neat, prostrate grower with rose-purple flowers and gray foliage.	.18	1.50	
*AJUGA (Bugle) *-genevensis. 6-8 in. Deep blue flowers in May and June; rich dark foliage. Useful for carpeting the ground in shady places where grass	15	1.05	10.00
*-reptans. 4-6 in. Low growing, compact blue flowers in May and June. Likes shady spots.	•		
*ALLIUM thibetica. 6-8 in. Clusters of lilac-mauve flowers in June and July. Excellent for the rock garden.	.18	1.50	12.00
ALYSSUM (Basket of Gold) *-argenteum. 12-15 in. Dense growth. Leaves silvery beneath, flowers yellow in clustered heads all summer Likes sun.	.10	.90	7.00

*-citrinum. 1 ft. Pale citron-yellow flowers. Fine in the sunny border, rock garden or dry wall.			Per 100
*-montanum. 3-6 in. A dainty, trailing dwarf with sweet scented yellow flowers in spring and early summer; silvery leaves.		1.00	8.00
ANCHUSA (Alkanet) —italica dropmore. 4 ft. Interesting border plant with pretty gentian blue flowers all summer.	.10	.90	7.00
—lissadell. 4-5 ft. Fine variety with large gentian blue flowers; likes the sun.	.18	1.50	
*-myosetidiflora. 15 in. Compact, well foliaged plant which has dainty, forget-me-not-like flowers in May and June; very robust and healthy; effective for shady places in the rock garden.	.15	1.25	10.00
*ANDROSACE lanuginosa (Rock Jasi 2 in. Trailing growth and soft sil- very foliage and clusters of lilac- rose blossoms lasting all summer. Most charming. Likes a protected sunny spot.	nine	e).	
ANEMONE (Windflower) —japonica (Japanese Windflower) 2-3 ft. Among the finest perennials for sheer beauty of bloom. The beautiful flowers of pastel shades appear in late August and continue until frost; ideal for cutting. Should have the protection of 2 or 3 inches of leaves or litter during the winter months. Varieties as follows: Alba. Single white.			
Alice. Rosy pink. Queen Charlotte. Semi-double ping Richard Ahrends. Shell pink. Prices for preceding Anemones: Field Grown Plants. For spring, 2½ in. pots	.12	1.00 .75	8.00 6.00
*-hupehensis. 18 in. A rock garden gem with an abundance of mauve-rose flowers from early August until late autumn. Really a miniature form of Anemone Japonica.		.90	7.00
*-pulsatilla alba. 8-10 in. Rare and pretty white form showing a center of golden yellow in the flowers; compact and low growing.		3 1.50	
*-pulsatilla rubra. 8-10 in. A charming variety with reddish purple flowers.		1.25	
*-sylvestris (Snowdrop Anemone). 10- 12 in. Large creamy white flowers freely produced in May and June; likes a cool, moist spot; a fine cut flower.	. 10	2 1.00	8.00
IIO VI CI.	12	1.00	0.00

	-		
ANTHEMIS tinctoria, Perry's Variety (Hardy Marguerite). 2 ft. Handsome finely cut foliage, and bright golden yellow daisy-like flowers produced all summer; excellent for cut flowers.			Per 100 6.00
AQUILEGIA (Columbine). *-alpina. 12 in. Rare variety with dark blue flowers in May; beautiful short-spurred form.	.15	1.25	
*-caerulea. 18-24 in. Dainty blue long spurred flowers in May and June	.15	1.25	10.00
*-canadensis. 18 in. The native American Columbine with yellow center and bright red long spurs.	.09	.75	6.00
—chrysantha. 2½ ft. Bright yellow flowers on graceful stems in May and June. A profuse bloomer.		.75	6.00
*-flabellata nana. 12 in. Delightful dwarf variety with waxy, pure white flowers in April and May; the foliage is light green, blue tinted. Likes the sun.	.15	1.25	10.00
—H. & S. Long Spurred Hybrids. 2½ ft. A very choice strain for the hardy border.	.18	1.50	•••••
*-jaeschkani. 18 in. New introduction from Japan with many lovely shades of flowers in May and June. Likes the sun.	.18	1.50	•
—Kelways Long Spurred Hybrids. 2 ft. A fine strain with clear, well defined colors and long spurs.	.12	1.00	8.00
—Mrs. Scott Elliott Hybrids. 2½ ft. Wonderful colors and color combinations, with very long spurred flowers ranging through shades of lavenders mauves, blues, purples, whites creams, yellows, pinks, red-well, the perennial border is not quite complete without this strain.	.10	.90	7.00
*-oxysepala (Early Columbine). 12 in. Dwarf and early flowering with attractive blue and white flowers with yellow centers.		1.00	
ARABIS (Rockcress) *-alpina. 12 in. Pure white flowers produced in dense masses in April, splendid for border and rockery. Makes an excellent cut flower.			7,00
*-alpina rosea. 12 in. An abundance of dainty rose flowers shading to pale pink.	.15	1.25	10.00

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

F	ach I	Per 10 I	Per 100
ARENARIA (Sandwort) *-balearica. 1 in. Creeping plant	acii 1		CT 100
with dark green foliage and a pro- fusion of miniature white flowers.			No.
A gem for cool, shady places in the rockery, especially for clothing bare rocks.	.20	1.75	
ARMERIA (Thrift or Sea Pink) *-laucheana. 3-6 in. Bright rosy red flowers in May and June; very	1 5	1.07	10.00
*-maritima. 4-6 in. Evergreen, grass-foliage; pale pink flowers in May and June. Very valuable for edging.			
*-maritima alba. 4-6 in. White flow-ering variety.			
ARTEMISIA (Wormwood) —lactiflora. 4-6 ft. Tall, graceful, with heads of small fragrant, white flowers in August and September. Ideal for cutting.			
—Silver King. 2-3 ft. Beautiful silvery, misty foliage which is excellent to use in the winter bouquet.	.10	.90	
ASCLEPIAS tuberosa (Butterflyweed) 18-24 in. Bright orange flowers in July and August and attractive fo- liage; excellent in the border and fine for cutting.		.75	
ASPHODELUS luteus (King's Spear). 3-4 ft. Tall spikes of bright yellow fragrant flowers, sword-like foliage.		1.25	
ASTER			
*-alpinus. 6-8 in. Large purple blue flowers in May and June. Likes the sun.	.15	1.25	10.00
*-himalaicus (Himalayan Aster). 1-2 in. A dainty plant with surprisingly large, light blue flowers borne on			
tiny stems.	.12	1.00	8.00
*-Mauve Cushion. 8-10 in. The exquisite soft mauve flowers completely cover the cushion-like plants in lavish profusion during October and November. One of the most beautiful perennials grown. Likes sun	.12	1.00	8.00
—novae-angliae, the autumn flowering species fondly known as the New England Aster or Michaelmas Daisy. We offer the following choice varieties:			
Barr's Pink. 4-5 ft. Flowers large and the best pink; vigorous	.15	1.25	
of rich blue; is the best blue in cultivation.	.12	1.00	8.00

WESTWINSTER, MARTEAND			
Climax. 4-5 ft. Tall pyramidal spikes of large, light lavender-	ach	Per 10	Per 100
blue flowers. Good cut flower	.12	1.00	
Erica. 2 ft. Semi-double, clear pink.	.10	.90	7.00
Maggie Perry. 4-5 ft. Pleasing mauve.	.10	.90	******
Queen Mary. 4 ft. Blue tinted lavender.	.12	1.00	8.00
Sam Benham. 4-5 ft. The best white Michaelmas Daisy; large flowers, fine for cutting.			
ASTILBE —america. 3 ft. Great trusses of delicate lilac pink blooms; very fragrant; outstanding. Prefers moist rich soil and sun or semi-shade —davidi (David Astilbe). 4-5 ft. One	.18	1.50	12.00
of the best of the large Astilbes. The graceful plumes of rich crimson purple and violet in July and August produce spectacular effects in the hardy border, rock garden and water garden.	.20	1.75	
*-gloria superba. 18-24 in. Beautiful deep rose-pink flowers; very prolific.	.18	1.50	12.00
*-deltoides bougainvillei. 3-4 in. Lovely trailing plant with masses of light violet flowers from April to June. Loves to droop over rocks or low walls.	.18	1.50	12.00
*-Mrs. Lloyd Edwards. 3-4 in. Fine crimson purple variety.			
*-Rose Queen. 4-6 in. Delightful rose- pink flowers.		1.50	12.00
*-Selected Large Flowering Hybrids. 3-6 in. A splendid assortment of colors.		1.00	8.00
BAPTISIA australis (Blue Wild-indigo). 3 ft. Spikes of dark blue flowers in June; good for cutting		.65	
BELLIS perennis (English Daisy) *-monstrosa. 6 in. Large flowers which make dainty bouquets. Either dou- ble pink or double white		.90	
*-monstrosa Etna. 6 in. Brilliant red daisy; blooms in early spring		1.00	
*BELLIUM bellidiolides (Alpine Daisy). 3 in. A dainty little miniature daisy that throws out runners and forms a wide mat covered all			
summer with tiny white flowers	.15	1.25	*****

	-		 -
	lach	Per 10	Per 100
BOLTONIA latisquama (Violet Boltonia). 4-5 ft. A myriad of pink, lavender-tinted flowers from July			
until frost. Very showy, good for cutting.	•	.75	6.00
BUPHTHALMUM salicifolium (Willowleaf Oxeye). 2 ft. Large golden yellow flowers all summer		1.00	8.00
*CALAMINTHA alpina (Calamint).			
6 in. Rich purple flowers in June and July; very graceful; likes a dry, sunny position.		1.00	-
-		,	
*CALLIRHOE involucrata (Low Poppy-mallow). 1 ft. A trailing plant; large saucer-shaped flowers of			
bright rosy crimson with white centers produced all summer		1.25	10.00
CALLUNA (Heather)			
*-vulgaris. The Heather is truly one of the most beautiful plants grown.			
It is a handsome shrub of dense, feathery, green growth that breaks		•	
into exquisite masses of flowers of the utmost delicacy; likes well			
drained, sour soil, sun, and a good share of moisture. We offer the fol-			٠
lowing varieties: alporti. 1-2 ft. Crimson flowers,			
bright green foliage.	.48	4.00	30.00
aurea. 1-2 ft. Yellow foliage, pink flowers.	.48	4.00	30.00
humilis. 1-2 ft. Rich green foliage; tiny white flowers		4.00	30.00
nana compacta. 7-8 in. Prostrate and compact in growth, dull rich	,		. đ
green foliage and pink flowers; very dainty.	.48	4.00	30.00
rosea. 1-2 ft. Rosy-pink flowers bright green foliage	.48	4.00	30.00
rubra. 1-2 ft. Deep rosy carmine	•	,	•
flowers.	.48	4.00	30.00
CAMPANULA (Bellflower)			
*-carpatica. 8-10 in. Large cupshaped blue flowers all summer.	`		•
Called the Carpathian Harebell	.12	1.00	8.00
*-elegans. 18 in. Blue flowers all summer.	.12	1.00	8.00
*-garganica. 4-6 in. A gem for the			
rock garden; forms a low spreading tuft; covered in June with myriads			·
of starry light blue flowers. Exquisite rock plant.	.18	1.50	12.00
*-glomerata. 18 in. Large flower			
heads of light blue during June and July.	.18	1.25	10.00
- vu · · · · · · · · · · · · · · · · · ·	-20		

medium (Canterbury-bells). 2-3 ft. The numerous branches are crowd-	lach	Per 10	Per 100
ed with deep bells in spring and early summer. Mixed colors, including blue and rose. These Canter-			•
bury-bells are biennials and are fine for cutting.	.09	.75	
*-muralis. 6-9 in. Profusion of bluish purple flowers in June. Ideal for stone walls and the rockery	19	1.00	
-persicifolia (Peachleaf Bellflower). 3 ft. Large blue saucer-shaped flow-	.14	1.00	0.00
ers from May to July —persicifolia alba. 3 ft. An excellent	.12	1.00	8.00
white variety	.12	1.00	8.00
ft. Large bright blue flowers; very attractive.	.12	1.00	8.00
—persicifolia Telham Beauty. 2 ft. Large bells of beautiful china blue.		1.25	10.00
*-pusilla. 4-6 in. A gem for the rock- ery; lilac blue flowers from June to September.	.20	1.75	
*-rotundifolia (Blue Bells of Scotland or Harebells). 1 ft. Clear blue flow- ers from June to September	.12	1.00	
trachelium (Coventry-bells). 2-3 ft. Beautiful drooping purple bells from July to September; very hardy.	20		
hardy. CARNATION (Hardy Carnations) Chaubaud Mixed. 12 in. A fine strain of Carnations for the border; mixed colors; ideal for cutting	•	• • • • • • • • • • • • • • • • • • • •	•
Chaubaud Rose. 12 in. Soft rose flowers.			
Grenadin Scarlet. 12 in. Large scarlet-red flowers.			
-Kelway's Yellow. 8-10 in. Delightful yellow flowers all summer; fragrant and fine for cutting.		•	
CENTAUREA (Knapweed) —dealbata. 2 ft. Large and striking rose-pink flowers in June and July.			
-macrocephala (Globe Centurea). 3-4 ft. Large golden-yellow flowers in July and August; exceptionally			
fine for cutting		.75	6.00
Large violet-blue flowers from July to September.		1.00	
CEPHALARIA tatarica (Giant Scab-			
heads of showy creamy white flow- ers during July and August. Good for cutting.	.12	1.00	8.00

*CERASTIUM tomentosum (Snow in Summer). 8-10 in. Pretty silvergray foliage; covered during the summer with a shower of pure white flowers				
### Reference of the control of the	*CERASTIUM tomentosum (Snow in Summer). 8-10 in. Pretty silvergray foliage; covered during the	ach F	er 10 I	Per 100
*CHEIRANTHUS allioni (Siberian Wall-flower). 1 ft. An interesting biennial with a great profusion of fragrant fiery orange flowers in the spring		.10	.90	7.00
CHRYSANTHEMUM Hardy Garden Varieties. 2-3 ft. Gorgeous autumn-blooming plants with a profusion of bright colored flowers. The following are popular and dependable varieties: Boston. Bronze-orange	*CHEIRANTHUS allioni (Siberian Wall-flower). 1 ft. An interesting biennial with a great profusion of fragrant fiery orange flowers in the			
Gorgeous autumn-blooming plants with a profusion of bright colored flowers. The following are popular and dependable varieties: Boston. Bronze-orange	CHELONE BARBATA—See Pentsteme	on B	arbatu	s.
Boston. Bronze-orange	—Hardy Garden Varieties. 2-3 ft. Gorgeous autumn-blooming plants with a profusion of bright colored flowers. The following are popular			
Edina. Rosy pink	-	.15	1.25	
Mrs. F. H. Bergen. Large pale pink with deep pink centers	Edina. Rosy pink	.15	1.25	
pink with deep pink centers		.15	1.25	•••••
October Girl. Clear pink-rose	pink with deep pink centers	.15	1.25	
Tints of Gold. Large golden yellow flowers, a good early variety10 .90 —Pompon Button Chrysanthemums. 15-18 in. The varieties in this classification usually produce billowy clusters of flowers less than 2 inches in diameter. They are very dainty in the garden and produce wonderful cut flowers. Bronze Doty. Handsome bronze flowers	October Girl. Clear pink-rose Ruth Cumming. Rich reddish bronze softly shaded with terra-	.15	1.25	•••••
Pompon Button Chrysanthemums. 15-18 in. The varieties in this classification usually produce billowy clusters of flowers less than 2 inches in diameter. They are very dainty in the garden and produce wonderful cut flowers. Bronze Doty. Handsome bronze flowers. Bronze Doty. Handsome bronze flowers. Button Bronze. Very small bronze flowers. Button Yellow. Tiny clusters of yellow flowers. Captain R. H. Cook. Deep rose; very fine. Mrs. H. Harrison. Small, with light pink blooms. Dink Doty. A good pink variety. White Doty. Large white flowers. Yellow Doty. A dainty yellow. Single or Daisy Flowering Chrysanthemums. 18-24 in. Contrasting in shape of blooms, these varieties add a most interesting and delightful touch to the garden and produce wonderful cut flowers. Araby. Large white. Araby. Large white. Bertha Fairs. Brilliant rose-pink. Bronze Buckingham. Glowing bronze. Cosmos. Deep purplish carmine 15 1.25 10.00 18 1.50 19 1.25 10.00 19 1.25 1.25 1.25 10 1.25 1.25 11 1.25 1.25 12 1.25 1.25 13 1.25 1.25 14 1.25 1.25 15 1.25 1.25 16 1.25 1.25 17 1.25 1.25 18 1.25 1.25 18 1.25 1.25 18 1.25 1.25		.15	1.25	••••••
15-18 in. The varieties in this classification usually produce billowy clusters of flowers less than 2 inches in diameter. They are very dainty in the garden and produce wonderful cut flowers. Bronze Doty. Handsome bronze flowers. Button Bronze. Very small bronze flowers. Button Yellow. Tiny clusters of yellow flowers. Captain R. H. Cook. Deep rose; very fine. Mrs. H. Harrison. Small, with light pink blooms. Small, with light poty. A good pink variety. White Doty. A good pink variety. White Doty. Large white flowers. Yellow Doty. A dainty yellow. Single or Daisy Flowering Chrysanthemums. 18-24 in. Contrasting in shape of blooms, these varieties add a most interesting and delightful touch to the garden and produce wonderful cut flowers. Araby. Large white. Bertha Fairs. Brilliant rose-pink. Bronze Buckingham. Glowing bronze. Cosmos. Deep purplish carmine 15 1.25 10.00 18 1.50		.10	.90	•••••
Bronze Doty. Handsome bronze flowers	15-18 in. The varieties in this classification usually produce billowy clusters of flowers less than 2 inches in diameter. They are very dainty in the garden and produce wonder-			
flowers				
flowers		.15	1.25	10.00
yellow flowers	flowers. Putton Vallow Tiny eluctors of	.15	1.25	10.00
very fine	yellow flowers	.15	1.25	10.00
light pink blooms	very fine.	.15	1.25	10.00
Pink Doty. A good pink variety18 1.50 White Doty. Large white flowers18 1.50 Yellow Doty. A dainty yellow	Mrs. H. Harrison. Small, with light pink blooms.	.15	1.25	10.00
Yellow Doty. A dainty yellow	Pink Doty. A good pink variety.	.18	1.50	
—Single or Daisy Flowering Chrysan- themums. 18-24 in. Contrasting in shape of blooms, these varieties add a most interesting and delightful touch to the garden and produce wonderful cut flowers. Araby. Large white				*******
themums. 18-24 in. Contrasting in shape of blooms, these varieties add a most interesting and delightful touch to the garden and produce wonderful cut flowers. Araby. Large white		.10	1.00	******
Bertha Fairs. Brilliant rose-pink20 Bronze Buckingham. Glowing bronze	themums. 18-24 in. Contrasting in shape of blooms, these varieties add a most interesting and delightful touch to the garden and produce wonderful cut flowers.			
Bronze Buckingham. Glowing bronze	Araby. Large white.	.15	1.25	
bronze	Bronze Buckingham. Glowing	.40		1
	bronze.	.18		10.00
				10.00

	ach F	er 10 I	Per 100
Dazzler. Scarlet; our best single Chrysanthemum. Joyce Strowlger. Bronze salmon-		1.25	10.00
pink.	.18	1.50	
pink. Mrs. Calvin Coolidge. Lovely cardinal red.	10	1 50	19.00
dinal red. Mrs. John Stewart, Jr. Bronze	.18	1.50 1.50	12.00
Sarah. Single yellow	.18	1.50	
Heavy 2 year Field Grown Plants at prices named for Fall and Spring Delivery. All of the above Chysanthemums,			
in addition to some other varieties,		•	
in 21/4 in. pots for Spring, 1936	.09	.75	6.00
-Species of Chrysanthemums, includ-			
ing the Maximum Flowering varie-			
ties. The following varieties are ad-			
mired for their striking vigor and			
boldness of bloom; very free flow- ering, and desirable for cut flowers:			
Alaska (Shasta Daisy). 2-2½ ft.			
A decided improvement on the			
original, with blooms $4\frac{1}{2}$ to 5			
inches across. Very free flowering all summer and autumn	nα	.75	6.00
	U.J	.10	0.00
*-Arcticum (Arctic Daisy). 12-18 in. Attractive rosette-like clumps			
covered with pure white single			
flowers measuring 2 to 2½ inches			
across from September to Novem-			
ber. Coreanum (Korean Daisy). 2-3 ft. Remarkable introduction from	.10	.90	7.00
Korea. Large white flowers with			
golden centers resembling a glori-			
fied daisy, frequently becoming			
pink tinted. Very hardy; blooms			
from September until late November	10	90	7.00
ber. Mrs. C. Lothian Bell. 2-3 ft. Mag-	.10	.50	7.00
nificent white flowers often meas-			
uring 6 inches across from June	10	4.00	
to August.	.12	1.00	8.00
CLEMATIS integrifolia. 3 ft. Hand-			
some shrub-like variety of the Clem-			
atis family; pretty blue flowers in June and July	20	1 75	
·	.20	1.79	*******
CONVALLARIA majalis (Lily-of-the			
Valley). 8 in. The true variety with pretty little bells of pure white in			
early spring. Most dainty and			
charming.	.15	1.25	10.00
COREOPSIS grandiflora (Big Core-			
opsis). 18-24 in. Showy brilliant			
yellow flowers all summer. Ideal			
for the bouquet.	.07	.65	5.00
*CORYDALIS cheilanthifolia (Chi-	- **	,	
nese Corydalis). 10 in. Fernlike fo-			
liage; long spikes of yellow blos-		•	
soms in the spring. Prefers rich, well drained soil; does well in shade.			
Very rare.		1.50	
•			

		70 10	70. 4.00
CRUCIANELLA (Crosswort) *-stylosa. 10-12 in. A fine creeper	lach	Per 10	Per 100
for the rockery. The flowers are pink ball-shaped, blooming from May until Autumn.	.10	.90	******
*-stylosa carminea. 10-12 in. A new variety with brilliant carmine-red		4	
flowers.	.10	.90	•••••
DELPHINIUM (Hardy Larkspur) —Belladonna. 2½-3 ft. Bright sky- blue flowers from June to August. Attractive in the border and as cut flower.	.10	.90	7.00
-Belladonna Cliveden Beauty. 3-4 ft. A splendid improved form of Belladonna with extra large flowers of vivid light blue on well developed stems practically all summer	.18	1.50	
—Bellamosum. 2½-3 ft. Large single flowers of deep indigo blue. A fine cut flower.	.10	.90	
-chinese. 1½-2 ft. Clear, deep blue		4	: (
flowers from June to September excellent for cutting.	; .12	1.00	8.00
—elatum "Iceberg". 4 ft. A new outstanding introduction. The white flowers form 20-inch spikes on tall stems; highly effective when used among the blue varieties.		1 .50	ж. «
-English Hybrids. 4-6 ft. Many exquisite shades and fine long spikes of flowers from June to August			
-Kelway's English Hybrids. 4-6 ft. A very fine selected strain.			
DIANTHUS (Pinks) *-alpinus. 4 in. Bright pink flowers	20	4 FF	
in May. *-alpinus alwoodi. 4-6 ft. A rock garden gem with attractive glossy leaves; during July and August a profusion of large flowers in various	.20	1.75	••••••••••••••••••••••••••••••••••••••
shades of rose and pink.	.18	1.50	
*-arenarius. 6 in. A shower of lacy white flowers delicately tinted with			
lavender in June.	.20	1.75	
—barbatus (Sweet William). 2 ft. Old favorites, bearing their sweet, clove-scented flowers in the great-			.ā.; *
est profusion during May and June. They are indispensable for the border and for cutting. The following	•	•	
varieties are usually treated as biennials:			·
Holborn Glory. A large flowered auricula-eyed type with brilliant colors.			6.00
colors. Newport Pink. The best of the salmon pinks.	.09	75.	6.00

WESTMINSTER, MARYLAND			41
		. \	
		Per 10 1	
Nigrescens. Rich velvet maroon. Scarlet Beauty. Scarlet flowers			
*-caesius (Cheddar Pink). 6 in. The true cushion pink; compact growing; fragrant rosy pink flowers in May and June.			8.00
*-caesius flore pleno. 6 in. Double flowering variety of the Cheddar Pink.	.18	1.50	12.00
*-deltoides albus. 4 in. A profusion of tiny white flowers in June and July.	.10	.90	7.00
*-deltoides Brilliant. 4 in. Myriads of crimson-red flowers in June and July	.12	1.00	8.00
*-plumarius Beatrix. 10-12 in. This is the true strain; double salmonpink flowers from May to November.	.12	1.00	8.00
	•12	1.00	0.00
*-plumarius semperflorens. 10-12 in. Pretty frilled and brightly colored flowers on glaucous foliage. A fine mixture of vivid and pastel colors	.12	1.00	8.00
DICENTRA (Bleeding Heart)			
*-eximia. 15 in. Finely cut foliage and cherry-red heart shaped flowers all summer.	.15	1.25	
—spectabilis. 2 ft. The old fashioned favorite that is such a show in the border.	.25	2.00	17.00
DIGITALIS (Foxglove)			
—ambigua. 3 ft. A vigorous plant with yellowish flowers marked with brown.		1.50	••••••
-Giant Shirley Hybrids. 3 ft. Large			
spikes of bright pastel shades. Biennials.		1.00	•••••
DORONICUM (Leopardbane)			
*-caucasicum. 18 in. Large clear yellow daisy-like flowers in early spring. Excellent cut flowers		2.50	18.00
—plantagineum excelsum. 2 ft. Golden yellow flowers of large size in April and May. Fine cut flowers		3.00	20.00
ECHINACEA purpurea (Purple Coneflower). 3 ft. Handsome large purple flowers with brown cone centers from July to early autumn. Very showy.		1.00	8.00
ECHINOPS ritro (Steel Globethistle). 3-4 ft. Attractive border plant with metallic-blue flowers from July to August.		1.00	
*FDICA compos (Consiste II41-) 10			
*ERICA carnea (Spring Heath). 18 in. Delightful bright rose flowers in early spring. Companion to Calluna.		4.00	

ERIGERON (Fleabane) *-alpinus. 8 in. Attractive heads of lilac-purple flowers from May to August.	f -		Per 100 12.00
*-aurantiacus (Orange Fleabane). 1 f Pretty orange colored daisy-like flowers from June to August	it.		
—speciosus. 2 ft. Lilac-blue flowers from June to August. Good for cutting.	5 -		
ERINUS (Liver-Balsam) *-alpinus albus. 6 in. Compact dwar evergreen foliage with white flowers in May and June.	£		
*-alpinus roseus. 6 in. Rosy-purple flowered variety.	9		
*-Dr. Hanelle. 6 in. A charming variety with crimson flowers	-		
ERYNGIUM a methystinum (Sea Holly). 2 ft. Violet-blue flowers in July and August.	ì	1.00	·····
EUPATORIUM coelestinum (Mistaflower). 18-24 in. Lavender-blue flowers from August to frost. Resembles Ageratum.) -	.75	6.00
*EUPHORBIA (Spurge) *-myrsinites. 8 in. For hot dry places trailing habit; glaucous blue foliage and heads of clear yellow blossoms		1.25	
*-polychroma. 1 ft. Yellow flowers in May and June.		2.00	17.00
*FESTUCA glauca (Blue Fescue). 8 in. Dwarf ornamental grass with distinct blue-green foliage.	ì	0 .90	7.00
CAILLARDIA (Blanket Flower) - Dazzler. 3 ft. Showy, large yellow- roll dowers during summer and au- tumn.	•	.90	7.00
—grandiflora. 3 ft. Red flowers with yellow borders during summer and autumn.	i	.90	7.00
—Portola Hybrids. 3 ft. A selected strain of large flowers from reddish bronze to deep gold. Fine cut flowers.	l -	.75	6.00
*GALIUM verum (Bedstraw). 15 in Yellow flowers from July to September.	•	1.25	10.00
GERANIUM (Crane's Bill) —pratense. 2-2½ ft. Large blue flowers from June to September.		1.00	
*-sanguineum. 15-18 in. Crimson flowers all summer.	•		8.00

,			,
GEUM (Avens)	lach	Per 10	Per 100
*-heldreichi. 12-15 in. Bright orange flowers all summer.	.15	1.25	10.00
*-Lady Stratheden. 18 in. Large double yellow flowers all summer	.12	1.00	8.00
*-Mrs. Bradshaw. 18 in. Large double bright scarlet flowers all summer.	.12	1.00	8.00
*-Orange Queen. 18 in. A new introduction with a striking shade of orange; flowers double.	.18	1.50	
*-Prince of Orange. 18 in. A novelty of merit. Fine orange blossoms on long stems in July and August	.18	1.50	
*GLOBULARIA trichosanthes (Syrian Globedaisy). 8 in. Beautiful lavender flower heads. Makes a brilliant picture in the rockery	.15	1.25	10.00
GYPSOPHILA (Babysbreath) —Bristol Fairy. 2-3 ft. New fine double variety; the billows of snowy white flowers bloom all summer. Very excellent for cutting and dry-			
ing for bouquets. paniculata. 2 ft. Covered with tiny,	.30	2.50	20.00
single white, mist-like flowers in June and July.	.09	.75	6.00
HELENIUM (Sneezeweed) —autumnale rubrum. 3 ft. Bronze-red flowers from July to October	.18	1.50	12.00
—autumnale superbum. 3-5 ft. Splendid golden yellow flowers from July to October.	.12	1.00	8.00
—Riverton Beauty. 3-4 ft. Lemon yellow flowers in early autumn			******
*HELIANTHEMUM chamaecistus mutabile (Fickle Sunrose). 12 in. Excellent for the wall or rockery; produces a wealth of multi-colored flowers throughout the early sum- mer. Likes the sun.	.10	.90	7.00
HELIOPSIS pitcheriana (Orange Sunflower). 3 ft. A showy border plant with yellow, orange-tinted flowers in July and August. A useful cut flower.	.10	.90	7.00
HEMEROCALLIS flava (Lemon Day- lily). 2-3 ft. Sweet scented, clear full yellow flowers in June.			
HESPERIS (Sweet Rocket) -matronalis. 3 ft. Fragrant purple flowers in June.	10	.90	7.00
-matronalis alba. 3 ft. Splendid			
white variety.	.10	.90	7.00

			
HEUCHERA (Coralbells)	lach	Per 10	Per 100
*-brizoides gracilina. 15 in. A profusion of deep coral red flowers on graceful erect stems during July	.18	1.50	12.00
*-Rosemondi. 18 in. Pretty little bells of coral pink in late spring and early summer.	.18	1.50	
*-sanguinea. 15 in. Beautiful coral crimson flowers.			
*-sanguinea alba. 15 in. Delightful white flowered variety.		1.25	10.00
*-sanguinea Pleu de Feu. 15 in. Striking bright fiery red flowers	.18	1.50	12.00
*-sanguinea splendens. 15 in. Pinkish crimson flowers, nice for cutting		1.50	12.00
HIBISCUS Mixed (Mallow). 4 ft. quick growing and shrubby; bears quantities of large flowers, like single Hollyhocks, in the autumn. Mixed shades.		.75	6.00
HOLLYHOCKS. 6-8 ft. Stately, majestic hardy plants; a necessary part of every old-fashioned garden. Colossal spikes of bloom in summer. The following varieties offer the best colors and vigorous plants: Allegheny. Mammoth flowers with fringed petals, all colors, single.			
Double Crimson Double White Double Yellow Lilac Beauty. Double. Newport Pink. Semi-double. All of the above Hollyhocks	.09	.75	6.00
HORMINUM pyrenaicum. 1 ft. Bluish purple flowers on leafless spikes in summer.		1.25	10.00
HOSTA undulata variegata (Funkia; Plantainlily). 18-24 in. Graceful variegated leaves and light lilacblue flowers in July and August		1.00	8.00
HYPERICUM (St. Johnswort) —ascyron. 3-4 ft. Yellow flowers in July; good for background		1.50	
-henryi. 2-3 ft. Golden yellow flowers in late summer and early autumn.		1.50	
*-moserianum. 18 in. Large, rich golden-yellow flowers blooming continuously through summer		1.50	
*-polyphyllum. 8 in. A shower of bright yellow flowers on pretty trailing foliage. Fine for the rocks			
*-reptans. 6 in. Fine prostrate, trailing rock plant with masses of clear		~·#U	,
golden yellow flowers in July and August.		1.25	10.00

WESIMINSIER, MARILAND			40
IBERIS (Candytuft)	ach	Per 10	Per 100
*-gibraltarica. 8 in. Handsome dark green foliage surmounted with heads of delicate lilac flowers in May and June.	.15	1.25	
*-sempervirens. 8 in. Evergreen foliage which is delightfully hidden by dense heads of pure white flowers in May and June.	.12	1.00	8.00
IRIS			
—germanica (German Iris or Flag Iris). 2-4 ft. There are so many varieties of German Iris grown that it is almost impossible to say that any special list is the best. We have selected outstanding standard varieties that cover the color range and which in our judgment are distinct and worthy of cultivation.			
Easily grown; likes sun. Ambassadeur. Velvety purple	.15	1.25	10.00
Archeveque. Deep rich purple-violet.	.09	.75	6.00
Gochi. Rich claret-purple	.09	.75	6.00
Lent A. Williamson. Violet and purple.	.12	1.00	8.00
Monsignor. Purple. Prosper Laugier. Bronze to velvety ruby-purple, white and yel-	.09		
low. Queen Caterina. Purple and gold	.09	.75	6.00
to white and bronze		1.00	8.00
Rhein Nixe. White and violet			6.00
Shekinah. Pale yellow shading to amber on the throat	.12	1.00	8.00
yellow, maroon and violet		1.00	•••••
—kaempferi (Japanese Iris). 2 ft. For striking beauty, gracefulness, and gorgeousness of bloom, this plant is unexcelled. Avoid lime in the soil and give a light protection in winter with straw or leaves. The following varieties create delightful pictures:			
Astarte. Double, dark violet Circe. Double, dark violet blue		1.50	12.00
lined with white. Eleanor Perry. Double claret-red	.15	1.25	10.00
with white and blue	.15	1.25	10.00
creamy glow at the gold-banded center. Mahogany. Large double purple to mahogany red. Latest to	.15	1.25	10.00
bloom. Melpomene. Double soft blue Purple and Gold. Double rich violet purple with white petal- oids, tipped with violet; golden	.18 .15	1.50 1.25	
throated. Ski-no-ryo. Double blue and	.15	1.25	10.00
white.		1.25	10.00

	-		
*-pumila (Dwarf Iris). 8 in. Fine dwarf Iris that is well placed in the rock garden or the border. Good for edging. The following varieties are hardy and colorful: Excelsa. Pure lemon-yellow	.20 .18		·
—siberica Blue King (Siberian Iris) 3 ft. Stately, regal blue flowers; a gem for the flower border or water- side. The flowers are produced in great abundance on stout, stiff stems. Excellent for cutting	.12	1.00	8.00
lightful species from Japan and China where it is frequently grown on the thatched roofs of the cottages. The blue flowers in June are delicately crested.	.15	1.25	10.00
*JASIONE perennis (Sheep's Scabious). 12 in. Small bells of dainty lavender-blue in June and July. Likes sun or partial shade	.12	1.00	
ing Sweet Pea) —latifolius. 3 ft. Colorful climber and trailer for rock walls and fence, blooming from June to August; crimson flowers.	.09	.75	6.00
latifolius Mixed. 3 ft. Various de- lightful shades. Does well at the seashore	.09	.75	6.00
 —latifolius Pink Beauty. 3 ft. Large racemes of pleasing deep rose flowers —latifolius roseus. 3 ft. Dainty rose 	.12	1.00	8.00
*LAVANDULA vera (Sweet Lavender). 18 in. The beloved old-fashioned garden plant; delightfully fra-		1.00	8.00
grant lavender flowers from July to September. *LEONTOPODIUM alpinum (Edel-	.12	1.00	8.00
weiss) 5 in. Silvery white leaves and starlike heads clothed with a dense white woolyness; prettiest in June. One of the most famous plants from the European Alps			·
LIATRIS (Gayfeather) —pycnostachya. 4-5 ft. Long spikes of rich purple flowers all summer		1.00	8.00
—scariosa. 4-5 ft. Large showy purple heads in September.		1.00	
LINUM (Flax) *-perenne (Perennial Flax). 15 in. Pale blue flowers all summer on graceful stems; pretty foliage.	l	.75	- 6.90

*-perenne album (White Perennial Flax). 15 in. White form of the above. Very attractive.			Per 100
LOBELIA —cardinalis (Cardinal flower). 2-3 ft. A handsome robust border plant producing many spikes of rich, fiery cardinal flowers from July to September. Thrives in any ordinary garden soil but does best in a moist deep loam.			•
-siphilitica (Large Blue Lobelia). 3 ft. Meisture loving plant with dark blue flowers streaked with white. Desirable near the brook or lake	.15	1.25	10.00
LUPINUS polyphyllus Hybrids (Lupine). 3 ft. Bold massive spikes of pea-shaped flowers; colors are both rich and delicate; sweet scented	.12	1.00	•••••
LYCHNIS (Campion) —chalcedonica (Maltese Cross). 3 ft. Heads of vivid scarlet flowers all summer. One of the brightest plants in the hardy border.	.12	1.00	
*-viscaria splendens. 1 ft. Deep green foliage with pink flowers in June and July.	.12	1.00	
*-viscaria splendens alba flore-pleno. 1 ft. Fine double white flowering variety. Good for cutting.	.18	1.50	12.00
LYTHRUM roseum superbum (Rose Loosestrife). 3 ft. Showy purple spikes produced in profusion during June and July. Splendid for banks of streams and ponds. Likes moist, shady places	.09	.75	6.00
*MATRICARIA Little Gem (Fever- few; False-camomile). 1 ft. A splendid border plant with large double white flowers from June to October. Valuable for cut flowers	.15	1.25	10.00
*MAZUS reptans (rugosus). 1-2 in. A dwarf and interesting Alpine plant, close tufted, covered in early spring with dainty lilac flowers with a small white lip; creeping. Likes a sheltered partial shady spot	.12	1.00	8.00
MONARDA Hybrids (Bergamot). 2-3 ft. Flower heads of many pretty shades during July.			
MYOSOTIS (Forget-me-not) *-palustris semperflorens. 6 in. The most popular hardy Forget-me-not. Ideal in the rockery or for colorful display in the low border. A con- tinuous shower of bright blue in			
spring and summer. Likes moisture and some shade		.75	6.00

	*-rupicola. 4 in. Dainty Alpine variety with a profusion of compact tufts of opal-blue flowers in May. A new and rare variety			Per 100
	*-Ruth Fischer. 9 in. A charming variety with large clear belladonna blue flowers	.10	.90	
	*NEPETA mussini (Catmint). 8 in. Compact with fragrant silvery gray foliage and hundreds of small laven- der-blue flowers in June and July	.12	1.00	8.00
	*NIEREMBERGIA rivularis (White- cup). 4 in. Dwarf creeping plant bearing large, creamy white, cup- shaped flowers from June to Sep- tember. Likes moisture and partial shade	.18	·	!
	OENOTHERA (Evening Primrose) *-fraseri. 12 in. Pale yellow flowers, June-October	.12	1.00	8.00
	*-missouriensis. 6 in. A rugged beauty with leathery leaves from which arise golden yellow flowers from June until August	.12	1.00	8.00
	*-speciosa. 18 in. Pure white flowers 3 inches across in great quantities all summer.	.12	1.00	8.00
	-youngi. 2 ft. A strong, large-leaved plant with numerous bright lemon-yellow flowers from June to August.	.12	1.00	8.00
	PACHYSANDRA—See Broadleaved E	ver	greeņs	3
	*PANSY Choice Swiss Giants. 6 in. Very fine strain of many beautiful colors. These are the biennials of the Viola family. Bloom from spring to autumn		.35	3.00
	PAPAVER (Poppy)			
	*-alpinum (Alpine Poppy). 4 in. Small and delicate, having white, pink, orange or yellow flowers all summer; fragrant and charming		3	
	*-nudicaule (Iceland Poppy). 1 ft. Dainty cup-shaped flowers in delightful shades from white to orange are profusely borne on graceful stems amidst neat tufts of bright green foliage all summer.		1.25	
1	*-nudicaule Coonara Shades (Iceland Poppy). 1 ft. A new blending of colors from pink to apricot; spring and summer. Fine for cutting. Likes the sun	ø	2 1.00	8.00
		• I A	1.00	0.00

-orientale (Oriental Poppy). 3-3½ ft. Nothing quite equals the Orien-	ach	Per 10	Per 100
tal Poppy for gorgeous display and brilliant coloring during May and			
June. Mulch lightly with litter in the autumn. The following varie- ties are noted for their size and			
brilliance of bloom:			
Beauty of Livermore. Huge velvet-crimson flowers; very showy Mrs. Perry. Apricot-orange ting-	.15	1.25	
ed with pink. The best "Pink Poppy"	.15	1.25	
Orientale. Tremendous cup-shaped blooms of brightest crimson-scarlet with large purplish			
blotches at base of petals	.12	1.00	•••••
satiny white with a splash of crimson-maroon at the base of each petal	.15	1.25	
PENTSTEMON (Beard Tongue)	•=•	2.20	•••••
-barbatus torreyi. 2 ft. Spikes of bright scarlet flowers from June un-		4 0 9	
*-Large Flowering Hybrids 15-18	.15	1.25	******
in. A fine strain freely producing flowers of good clear colors in the	15	1 95	10.00
—pubescens. 24 in. Neat border plant	.15	1.40	10.00
with white flowers that are tinted with blush and lavender.	.12	1.00	8.00
PEONIES. 2½-4 ft. The pride of all gardens, handsome of foliage and gorgeous of bloom; May and June. We have excellent varieties in white, pink and red.	.15	1.25	10.00
PHLOX	•		
—decussata (Hardy Garden Phlox). 2-3 ft. These beautiful hardy border plants are most effective and useful			
in late summer and early autumn, with their bright colors and freedom			
of bloom. The following varieties have proven to be dependable and among the best grown.			
Antonin Mercie. Delicate lilac- blue.	.09	.75	
B. Comte. Tall growing with large heads of amaranth-red			
flowers	.09	.75	•••••
son with slightly darker eye, blooms profusely	.15	1.25	
Elizabeth Campbell. Salmon pink Enchantress. Bright salmon-pink with dark eye			
Jules Sandeau. Brilliant water- melon-pink			
Mrs. Charles Dorr. Tall lavender Mrs. Jenkins. Pure white, free-	.12	1.00	
flowering	.12	1.00	•••••

	ach I	Per 10	Per 100
Mrs. Milly von Hoboken. Pink with delicate mauve suffusion	.12	1.00	
Mrs. Scholten. New dark salmon pink	.15	1.25	•
Mrs. Verboom. Rose-pink	.10	.90	
Painted Lady. Silver pink, salmon and cherry red	.10	.90	
Rhinelander. Large heads of sal-			******
mon pink	.12	1.00	•••••
with claret-red eye	.10	.90	
Rijnstroom. Carmine-rose, large	10	00	
clusters Thor. Deep salmon-pink, scarlet	.10	.90	•••••
glow; small analine-red eye	.10	.90	
Von Lassburg. Tall, large pure white	.10	.90	
	•10	.00	•••••
*-subulata (Moss Phlox or Mountain Pinks). 2 in. Early spring-flower-			
ing type with pretty, mosslike, ever-			
green foliage which, during the flow-			
ering season in April and May is hidden under the masses of bloom;			
excellent for the rockery, the border			
and invaluable for carpeting. We			
have selected varieties which assure vigor and beauty in color range.			
Alba. Pure white flowers	.18	1.50	12.00
Atropurpurea. Deep carmine-			
red; brilliant		1.50	12.00
Fairy. Pale blue flowers; dainty		1.00	8.00
G. F. Wilson. Bright lilac			
Lilacina. Light lilac	.10	.90	7.00
Rosea. Rosy pink; fine for covering banks	.09	.75	6.00
Vivid. Bright pink with fiery red			
eye	.18	1.50	
-Various Phlox Species			
*-amoena (Amoena Phlox). 4-6 in.			
One of the best varieties for carpeting the ground or the rocks;			
covered in the spring with bright			
pink flowers	.15	1.25	•••••
*-divaricata canadensis. 10 in. Dain-			
ty native variety commencing to bloom in April and continuing			
through May, with large fragrant,			
lavender flowers.	.12	1.00	8.00
*-ovata (carolina) (Mountain Phlox).			
12 in. Bright rosy red flowers		1 00	0.00
in June and July	.12	1.00	8.00
—suffruticosa Miss Lingard. 2 ft.			
Flowers white with faint pinkish lavender eye; blooms all summer	.09	.75	6.00
intermed eye, brooms an summer	•00	.10	0.00
PHYSALIS francheti (Chinese Lan-			
tern). 2 ft. Very ornamental, producing freely bright orange-scarlet,			
lantern-like fruits; when cut will			
last all winter	.07	.65	5.00

			· · · · · · · · · · · · · · · · · · ·
PHYSOSTEGIA virginica grandiflora Vivid (False Dragonhead). 18 in. Large deep pink flowers in August and September. Splendid for cutting		.90	
PLATYCODON (Balloonflower) —grandiflorum. 20 in. Large, showy deep blue flowers produced all sum- mer; bell-shaped when open	.09	.75	6.00
—grandiflorum album. 20 in. Excellent white form	.09	.75	6.00
*PLUMBAGO larpentae (Leadwort). 1 ft. Blue flowers late summer and early autumn; spreading habit	.15	1.25	10.00
*-caeruleum (Greek-valerian). 18 in. Blue flowers with golden center in May and June. Likes sun. Also called Jacob's Ladder	.12	1.00	
*-caeruleum album. 18 in. White form	.15		
*-reptans. 6 in. Dainty creeping plant with showy blue flowers in early spring	.15	1.25	10.00
*-Richardsoni. 18 in. Masses of beautiful sky-blue blossoms in June	.12	1.00	8.00
POTENTILLA (Cinquefoil) *-Hybrid Single Mixed Colors. 1 ft. For the rock wall, rock garden or sunny border; June flowering	.12	1.00	8.00
*-matsumurae. 3 in. Lovely dwarf, richly covered with yellow flowers during May and June. Likes the sun		1.25	10.00
*-rupestris. 1 ft. Clusters of clear white flowers		1.00	8.00
PRIMULA (Primrose). Most beautiful and interesting early spring flowers. Plant them in rich, well-drained soil in the border or in a sheltered nook in the rockery; if possible in a half-shady place. Suitable too, for the waterside.			
*-acaulis (Vulgaris) (English Cow- slip). 6 in. Pale yellow flowers		1.50	•••••
*-acaulis Blue. 6 in. Rare blue primrose; one of the most unusual and prettiest of all		3.50	
*-auricula Giant Hybrids. 8 in. Pleas- ing shades of color; attractive light green foliage		1.50	12.00
*-auricula Kelway's Showy Border. 8 in. Choice mixture; large flower- ed; many pretty shades		1.75	15.00
*-denticulata cashmeriana. 1 ft. Round flower heads of bright laven- der		1.75	

—florindae. 18-24 in. One of the finest novelties brought out of Thibet. Very robust with bright yellow pendant blossoms borne in great profusion			Per 100
—japonica Mixed (Japanese Primrose). 18 in. Delightful for the border with pretty flowers on graceful stems, many pleasing pastel shades	.18	1.50	
*-veris Barr's Exhibition Reds. 8 in. A fine selection including bright shades of crimson and sarlet.	.18	1.50	12.00
*-veris elatior. 1 ft. The true Contitiontal Oxlip; clear yellow flowers.	.15	1.25	
*-veris Hybrids. 1 ft. Various shades of lilac, purple violet, buff, orange salmon and rich reds.	.15	1.25	10.00
*-veris polyantha Gold Laced. 1 ft. Selected from mottled and bicolor types of Polyanthus Primrose; fine mixture of colors.	.15	1.25	10.00
*-veris Yellow. A remarkable new strain showing a deep burnt orange color.	.18	1.50	12.00
PYRETHRUM (Painted Daisy) —grandiflorum. 2-2½ ft. Showy flowers of all shades of color except blue and yellow, produced freely all summer, particularly in May and June. The foliage is neat and fine-			
ly cut.	.10	.90	7.00
—James Kelway. 2-2½ ft. Very fine strain with large single, daisy-like flowers.	.15	1.25	10.00
RANUNCULUS acris flore-pleno (Buttercups). 18-24 in. Double yellow flowers; upright growing; of easy culture, especially in moist places; a good cut flower.	.12	1.00	8.00
RUDBECKIA (Coneflower) —laciniata Goldenglow. 6-7 ft. Very showy border plant producing masses of large, double golden flowers in late summer.	.09	.75	
-newmanni. 3 ft. Perennial form of the Black Eyed Susan. Deep orange- yellow flowers with a purplish black cone; blooms all summer.			
—purpurea (Purple Coneflower)—See Echinacea purpurea.			
SALVIA (Sage) —farinacea (Mealycup Sage). 30 in. Long spikes of light blue. Needs winter protection.	.12	1.00	

W MOT WITHOUTEN, WIANT HAND		•	
	ach	Per 10	Per 100
—pitcheri. 3-4 ft. Large flowers of rich gentian blue, branching habit.	.12	1.00	8.00
—patens (Gentian Sage). 2 ft. Fine, blue flowers from June to September.	.10	.90	
*SANTOLINA incana (Lavender Cotton). 1 ft. Evergreen, delicate, silver-white, foliage; very fragrant. Largely used for edgings to flower beds or walks.	.09	.75	6.00
SAPONIARA ocymoides splendens (Seapwort). 8 in. Rosy pink flowers produced in great quantities in May and June.	.10	.90	
*SAXIFRAGA McNabiana (Rockfoil). 1 ft. Splendid for the wall garden or in crevices in the rock garden; gray-green foliage arranged in rosettes. Bears during May and June spikes set with small white flowers speckled with pink.	.20	1.75	15.00
SCABIOSA (Pin-cushion Flower) —caucasica. 2 ft. Slender, graceful stems hold aloft lovely flowers ranging from deep to mauve lavender from June until September.	.18	1.50	
-japonica. 2 ft. Lavender-blue flowers from July to September; biennial variety.	.18	1.50	
SEDUM (Stonecrop). A sun-loving family of plants. *-acre (Goldmoss). 2 in. Miniature			
tufts of deep green covered with golden yellow flowers.	.09	.75	
*-alpinatum. 3 in. Thick waxy foliage and red stems with pink flowers *-anglicum. 2 in. Small minute green	.15	1.25	
foliage; pink flowers in June and July. *-glaucum. 1 in. Evergreen bluish	.15	1.25	10.00
green foliage and pinkish white flowers. *-hispanicum (Spanish Stonecrop). 2	.12	1.00	8.00
in. Delicate pink flowers and bright glaucous foliage.	.15	1.25	10.00
*-kamtschaticum. 6 in. Orange-yel- low flowers in July and August, with prostrate, green foliage turn- ing golden in autumn.	.10	.90	7.00
*-lineare. 6 in. Light yellowish green foliage with tiny star-shaped yellow flowers in July.			
*-lydium. 1 in. Evergreen, with bronzy green foliage, and pink flowers.			
*-reflexum. 6 in. Upright bluish green foliage in summer turning bronze-green in winter; yellow flow-	•10		
ered.	.09	.75	6.00

*-rupestris. 2 in. Evergreen; trailing,	ach	Per 10	Per 100
with upright light yellow flowers in summer, showy foliage	.09	.75	6.00
*-sarmentosum. 2 in. Fast growing, vigorous, trailing, one of the best to plant between stones or for edging; quickly forms a dense mat; bright green foliage and tiny yellow flow-			
ers.	.09	.75	6.00
*-sexangulare. 4 in. Compact; ever- green foliage of rich dark green with yellow flowers	.09	.75	6.00
*-sieboldi. 6-9 in. Round, succulent, glaucous foliage; brilliant pink flowers from August to September. Often spoken of as the loveliest of all the Sedums.	15	1 25	10.00
—spectabile. 18 in. Broad, light green foliage and immense heads of handsome, showy, rose colored flowers; indispensable as a late fall-blooming			
plant.	.09	.75	•••••
—spectabile Brilliant. 18 in. Rich, amaranth-red coloring.	.12	1.00	
—spectabile variegata. 18 in. Variegated foliage, pink flowers	.12	1.00	•••••
*-spurium. 6 in. Evergreen leaves; purplish pink flowers in July and August. Excellent in the rockery and on sandy banks.	.10	.90	7.00
*-spurium album. 4-6 in. A new variety with pretty white flowers; prostrate habit.		.75	
*-spurium coccineum. 4-6 in. Pretty trailer of deep maroon-brown color with a mass of bright red flowers in late summer. Ideal ground cover			
*-stoloniferum. 4-6 in. Purplish pink flowers in July and August			
*-ternatum. 4 in. Most satisfactory Sedum for shady places, or for ground carpeting where it is difficult to make plants grow; white flowers in May and June.			
SEMPERVIVUM (Houseleek) Most attractive, hardy, succulent plants for the rock garden and rock wall. Their rosette-like thick leaves are fleshy and pointed. The small clumps slowly spread, filling pockets, and crevices between the rocks. They like rich sandy and perfectly drained soil in full sun. Numerous young rosettes are continually appearing. Affectionately called Cat and Kittens and Hen and Chickens. *-alpha. 3 in. Neat rosettes and pink			
blooms.	.15	1.25	•••••

-arachnoideum. 6 in. Small, tight rosettes, caressed by soft, silk webs; bright crimson flowers	;	Per 10 1	
-arenarium. 2 in. Green rosettes which change to deep brownish red in autumn; pale yellow flowers	l	1.00	8.00
-brauni. 2 in. Dark green foliage and red flowers.	.12	1.00	8.00
-doellianum. 2 in. Small hairy rosettes of pale green leaves tinted red at the tips with cheerful, bright red flowers; very handsome when massed together.	l I	1.00	8.00
red flowers	.15	1.25	10.00
fimbriatum. 6-10 in. Tips of the leaves crowned with tufts of hair; flowers bright red.	;	1.00	8.00
gamma. 8-10 in. Distinctive brownish gray rosettes.		1.50	
globiferum. 6-10 in. Fat rosettes about 2 inches in diameter; pale yellow flowers.	•	.90	7.00
-juratense. 1 in. Very rare variety with small, dainty rosettes.	.18	1.50	12.00
-LaHarpei. 2 in. Rare; fine rosettes and yellow flowers	.18	1.50	12.00
-pompelli. 2 in. Rare; leaves tipped handsomely with brownish red	ł		
-ruthenicum. 1-2 in. Rare; rosettes dark, dull green	3		
-tectorum. 1 ft. Broad rosettes, the leaves having reddish brown tips flowers are pale red. This is the common House Leek of our grand-mother's garden.	;		
-tectorum rubrum. 1 ft. Broad rosettes with colorful, red tinted leaves		1.00	•••••
SILENE maritima (Sea Catchfly) 1 ft. Handsome bluish tinted fol- iage; covered with pinkish white blooms from June to August	- e	1.25	10.00
PIREA filipendula (Dropwort). 18-24 in. Attractive finely cut foliage with fluffy, creamy white flower heads, in June and July. Companion to the Astilbes.	e r 1	1.00	
STACHYS lanata (Woundwort). 4 in Fine old-fashioned garden plant for edging or in the rock garden dwarf; soft silvery foliage	r ;	.90	7.00
STATICE (Sea Lavender) '-incana. 10-12 in. Purplish blue flow ers in July and August. Likes the sun.	e ·	1.25	

*-latifolia. 15-18 in. Purple-blue flow- ers in July and August will last a long time when cut and dried			8.00
STOKESIA (Stoke's Aster) —cyanea. 18-24 in. Very handsome lavender-blue flowers in the summer. Likes the sun.	.12	1.00	8.00
—cyanea alba. 18-24 in. Pure white flowering variety.	.12	1.00	
THALICTRUM (Meadowrue) —aquilegifolium. 2-3 ft. Spikes of rosy purple flowers from June to July.	.12	1.00	8.00
—minus adiantifolium. 2 ft. Pretty foliage with miniature creamy white flowers in June.	.12	1.00	
THERMOPSIS caroliniana. 2-3 ft. Rich green foliage; yellow, pea-like flowers are produced in racemes, 6 to 12 inches long. Very attractive	.12	1.00	8.00
THYMUS (Thyme) *-lanuginosus (Wooly Thyme). 1 in. Small, roundish leaves and rosy lilac-pink flowers in summer.	.15	1.25	10.00
*-serpyllum (Mother-of-thyme). 10 in, Fragrant foliage; may be walked on freely when established or cut with the lawnmower; small purple-like flowers most all summer. Spreads rapidly.	.15	1.25	10.00
*-serpyllum coccineus (Crimson Thyme). 10 in. Becomes completely covered with bright cherry red flowers.	' .12	1.00	8.00
*-vulgaris roseus. 1 ft. An old favorite with scented foliage and pink flowers in May and June; semi-trailer. A much used herb for seasoning foods.	.15	1.25	10.00
TRITOMA (Torchlily; Flame Flower; Red Hot Poker)			;
—pfitzeri. 3 ft. Tall spikes with heads of brilliant orange-scarlet blooms from July to September. Very showy and greatly admired. Should have slight protection in winter.	.12	1.00	8.00
—Selected Hardy Hybrids. 3 ft. Various colors ranging from pale yellow to deep orange; perfectly hardy	.12	1.00	8.00
*TROLLIUS (Globeflower) *-europaeus Hybrids. 2 ft. Fine for moist, shady places. Deep green, finely cut foliage. The flowers, freely produced in May and June, are lovely shades of yellow and orange and globe shaped. Your useful for			
and globe-shaped. Very useful for cutting.	.20	1.75	15.00

WESTWINGTER, WARTIDAND			
*-ledebouri Golden Queen. 2 ft. A new, superb variety, highly acclaimed in Europe and America. Extra large golden orange flowers on erect stems during May and June. A profuse bloomer and a handsome cut flower.			Per 100
*TUNICA saxifraga (Tunicflower or Coat Flower). 6-8 in. Pretty masses of small pink flowers of a misty ap- pearance, all summer; attractive compact foliage.	.09	.75	6.00
VALERIANA (Garden Heliotrope) *-coccinea. 18 in. Showy heads of old rose flowers in umbels on 12 inch stems, just above the rich green foliage are produced from June until October. A splendid plant for bold	0.00		<i>a</i> 00
effects in the wall or rock garden	.09	.75	6.00
*-coccinea alba. 18 in. White form of the above.	.09	.75	6.00
—officinalis. 3-4 ft. Produces showy heads of rose-tinted white flowers during June and July, with delicious strong heliotrope odor.	.12	1.00	
VERBASCUM (Mullein) *-phoeniceum Hybrids. 18 in. Delight- ful biennials with graceful spikes of colors ranging from white, pink, rose purple and bronze to brown. Verbascums respond as perennials, requiring a warm position and light or medium, well drained soil	.09	.75	6.00
VERONICA (Speedwell) Beautiful hardy perennials that vary in height from a few inches to three feet and bear blue, rosy pink or white flowers in terminal spikes or racemes. Showy plants for borders or rock gardens and all of easy culture.			
*-elegans. 15-18 in. Light pink flowers during June and July	.15	1.25	10.00
*-erica rosea. 10 to 12 in. Pretty rose pink flowers in June and July	.15	1.25	10.00
*-incana. 12-15 in. Numerous blue flowers in July and August and silvery, wooly foliage; useful in rockery or for edging paths and flower beds.	.12	1.00	8.00
-longifolia subsessilis. 2 ft. One of the handsomest blue-flowering plants; July and August. Fine for cutting.	.15	1.25	
-orchidea. 2-3 ft. Hardy variety from the Balkans. Produces a profusion of clear blue flowers from June to August.	.18	1.50	12.00

Each Per 10 Per 100 *-prostrata. 4 in. A trailing variety blooming in May with miniature *-Royal Blue. 10-12 in. A brilliant shade of dark blue; bushy, dwarf 1.00 8.00 *-rupestris. 4 in. From late April well into June this is a bright carpet of rich blue. A good ground-cover in 1.00 8.00 *-rupestris flexuosa. 1 in. Prostrate creeping plant, forming a solid carpet of green; pale blue flowers in 1.25 *-rupestris nana. 1 in. Deep gentian blue flowers in April and May; 1.75 15.00 *-rupestris nana rosea. 1 in. Delightful mauve-pink flowers in April and -spicata. 2 ft. Long spikes of violet-.75 6.00-spicata rosea. 2 ft. Much branched 1.25 10.00 *-spuria (amethystina). 12 in. Blue flowers in long spikes during June 1.00 *-teucrium. 12 in. Dwarf; spreading dense growth; flowers blue in June 6.00 .75 VIOLA (Violet; Hardy Pansy) *-cornuta (Tufted Pansy). 4-6 in. These charming plants differ from the ordinary Pansy by being more compact in habit and more continuous and free in flowering. From early spring to late autumn their dainty flowers create a profusion of The colors are varied, as in Pansies, but much more refined. They like deep, well-enriched soil, and considerable sun. Ideal carpeting. The following varieties have been chosen for hardiness, coloring and floriferousness. It is well to cut back all straggling growth sometime during September. Cyclops. Rich royal purple surrounding a patch of creamy white. .12 1.00 G. Wermig. Rich violet-blue flowers on long stems; a veritable sheet of blooms; splendid for cut-1.00

		70 40	70 400
Gracilis Lord Nelson. Large	ach	Per 10	Per 100
flowers of glowing purple. Improved strain. Jersey Gem. Pure rich violet Jersey Gem White. Pure white blooms. Lutea Splendens. Bright golden	.15	1.25	10.00
yellow.	.15	1.25	
*-odorata Prince of Wales (Sweet Violet). 6 in. Gloriously sweet scented rich, deep purple flowers; heavy deep green foliage. Ideal for cutting; used by florists. Does excellently in the shade.	.15	1.25	10.00
YUCCA (Adam's Needle)			
—filamentosa. 6 ft. Broad, swordlike evergreen foliage and immense branching spikes of drooping, creamy white flowers. A bold and handsome object on the lawn or in the large rock garden. Also called	000	P	2.00
Spanish Bayonet.	.09	.75	6.00
—glauca. 2-3 ft. A very good variety with large white flower-spikes	.15	1.25	

Lining Out Stock

We are not listing any Lining Out Stock in this issue of our Wholesale Price List. However, in our Spring 1936 Price List we will devote a full and complete section to Lining Out Stock, including thousands of choice grafts, transplants, seedlings and potted plants of Evergreens, Broadleaved Evergreens, Deciduous and Flowering Trees, Deciduous Shrubs, Vines, Hardy Perennials and Rock Plants.

In the meantime, we invite your correspondence for special letter quotations on Lining Out Stock, if desired for Fall shipment, supplying us with a list of the varieties, sizes and quantities you are interested in.

We respectfully solicit your inquiries and favors and assure you of our most careful and personal attention to same.

Fruit Trees				
APPLE	ES			
	Each	Per 10	Per 100	Per 1000
2 and 3 year buds assorted First class 11/16 to 1 in. 5 ft.				
and up.	.45	4.25	40.00	375.00
First class 9/16 to 11/16 in. 4 ft. and up	.40	3.75	35.00	325.00
First class $7/16$ to $9/16$ in. $3\frac{1}{2}$ ft. and up	.35	3.00	25.00	225.00
First class 5/16 to 7/16 in. 3 ft. and up		2.00	17.50	150.00
Varietie	s	***		
Delicious M. B. Twigg Duchess Jonathan		Wea Win	lthy ter Bana	na
Grimes Golden Smokehouse Hyslop Crab Stark		Win	ter Para ow Trans	dise
Maiden Blush Spitzenburg McIntosh Stayman's Wine	esap			, ,
1 yr. Buds, 4 to 5 ft		3.75	35.00	•••••
1 yr. Buds, 3 to 4 ft	.35	3.00	25.00	
1 yr. Buds, 2 to 3 ft	.25	2.00	15.00	•••••
APRICOTS ON	PEA	ACH		
1 year old from buds	40	250	20.00	
9/16 to 11/16 in. 5 to 6 ft 7/16 to 9/16 in. 4 to 6 ft			$30.00 \\ 25.00$	••••••
5/16 to 7/16 in. 3 to 4 ft		2.50	20.00	
Early Go		2.00	20.00	••••••
CHERRIES	. Sou	r		
2 year old Budded Trees				
No. 1 grade 11/16 in. and up	.45	4.00	38.00	
Med. grade 9/16 to 11/16 in. and up	.40	3,50	32.50	
No. 2 grade 7/16 to 9/16 in.			3 2. 00	******
and up Varietie	.35	3.00	22.50	
Early Richmond	is.	Mon	tmorency	
CHERRIES,	Swe	et		
2 year old Budded Trees No. 1 grade 11/16 in. and up	.55	5.00	45.00	
Med. grade 9/16 to 11/16 in.				•••••
and up. No. 2 grade 7/16 to 9/16 in.	.48	4.20	38.50	•••••
and upVarietie		3.50	30.00	
Black Tartarian Governor Wood	-	Yelle	ow Span	ish
Bing Napoleon PEACH	TF.C			
Sturdy trees 1 year from buds				
9/16 to 11/16 in. 4 ft. and up.		3.00	25.00	225.00
7/16 to 9/16 in. 3 ft. and up.		2.50	20.00	180.00
5/16 to 7/16 in. 2 ft. and up.	.25	2.00	15.00	140.00
About 5/16 in. 2 to 3 ft		1.40	12.00	100.00
Varieties TV 11 CV				
Belle of Georgia Elberta Bracket Early Elberta	\mathbf{J} .	ath Cli H. Ha	le Ro	oberta Osebud
Carman Fitzgerald Golden Jubilee	Le Ma	mon Fr trigold	Si	ilway iirley
Crawford's Early Greensboro Crawford's Late Globe	NI	agara = iole	.1.	ate Red
Cumberland Hiley Early Be	ll Ra	diance	, •	

,			<u>.</u>	
PEAR			D 10	T) 100
9 was ald standard Dudded T		Lach	Per 10	Per 100
2 year old standard Budded T No. 1 grade 11/16 in. and up		.50	4.50	42.50
Med. grade 9/16 to 11/16 in. an			4.00	30.00
No. 2 grade 7/16 to 9/16 in. an	_		2.75	25.00
	-	00	2	20.00
1 year old standard Budded Tr 3 to 4 ft. whips		.25	2.25	20.00
2 to 3 ft. whips			1.75	15.00
Varietie			2000	20100
Bartlett Buerre Bosc	213	Bue	rre D'Aı	njou
Flemish Beauty Clapp's Favorit	e	Keit		
PLUM	S			
				Per 100
11/16 in. and up 5 to 6 ft				P
$9/16$ to $11/16$ in. and up $4\frac{1}{2}$ to				
7/16 to $9/16$ in. 3 ft. and up		.30	2.50	20.00
Varietie	es			
Abundance Fellenberg Burbank Moore's Arctic		Shr	opshire I	amson
'				
Small Fru	ita	F	tc	
Dillail I'I u	113,	اند ر	ic.	
ASPARAGUS, 1	Rust			
· ·		Per	·	Per
Mary Washington 2 yr. No. 1.		10	100 1.25	1000 6.00
Mary Washington 2 yr. No. 1. Mary Washington 2 yr. No. 2		.13		
Pedigree Washington 2 yr. No. 2			-	
Pedigree Washington 2 yr. No				
BLACKBEI	RRIES	3		
Eldorado, root cuttings No. 1.			3.00	25.00
Snyder, root cuttings No. 1.			3.00	25.00
GRAPE	ES			
		\mathbf{Per}	\mathbf{Per}	\mathbf{Per}
	Each	10	100	1000
Caco 2 yr. No. 1, light red	.42	3.50		
Campbell's Early 2 yr. No. 1 black	.18	1.50	12.00	100.00
Concord 2 yr. No. 1, black	.12	1.00		70.00
Concord 2 yr. No. 2, black	.09	.80	7.00	
Moore's Early 2 yr. No. 1,				
black	.18	1.50	10.00	80.00
Moore's Early 2 yr. No. 2, black	.12	1.00	8.00	70.00
Niagara 2 yr.No. 1, white	.18	1.50	10.00	80.00
Niagara 2 yr. No. 2, white	.12	1.00	8.00	70.00
Worden 2 yr. No. 1, blue-	10			
7. 7 3		4 PA	4000	~~~
black	.18	1.50	10.00	80.00
RASPBER	RIES			
RASPBER Cumberland No. 1 tips	RIES	.30	2.00	16.00
RASPBER Cumberland No. 1 tips Cumberland No. 1 transplant	RIES ed			
RASPBER Cumberland No. 1 tips Cumberland No. 1 transplant Myatts Linneaus, 2 and 3	RIES ed	.30	2.00	16.00
RASPBER Cumberland No. 1 tips Cumberland No. 1 transplant Myatts Linneaus, 2 and 3 Latham No. 1, well rooted, transplanted	RIES ed year	.30	2.00	16.00
RASPBER Cumberland No. 1 tips Cumberland No. 1 transplant Myatts Linneaus, 2 and 3 Latham No. 1, well rooted, transplanted St Regis No. 1 well rooted,	RIES ed year	.30 .40	2.00 3.00 4.00	16.00 25.00 30.00
RASPBER Cumberland No. 1 tips	RIES ed year	.30 .40	2.00 3.00	16.00 25.00 30.00
RASPBER Cumberland No. 1 tips Cumberland No. 1 transplant Myatts Linneaus, 2 and 3 Latham No. 1, well rooted, transplanted St. Regis No. 1 well rooted, transplanted RHUBA	RIES ed year	.30 .40	2.00 3.00 4.00	16.00 25.00 30.00
RASPBER Cumberland No. 1 tips	RIES ed year RB year	.30 .40	2.00 3.00 4.00	16.00 25.00 30.00

Index of Common Names

Page		Dago
Λ	Judas Tree	Page 14
Abelia 9	Juniper K	4, 5, 6
Akebia 29 Alder 13		
Alder 13 Althea 19	Kentucky Coffeetree	15
Ampelopsis 29	Larch	
Andromeda 12	Leucothoe	
Apple 60 Apricot 60	Lilac	
Aralia 18	\mathbf{M}	
Arborvitae	Magnolia	
Arrowwood 27 Ash 15	Maple	$12, 13 \\ 24$
Asparagus 61	Mountain-ash	17
Azaleas	Mnlberry	16
В	Myrtle	12
Barberry 10, 19	Nannyberry	27
Beautyberry 20 Beautybush 23	Ninebark	24
Birch •	0	
Bittersweet 30	Oak	$\begin{array}{c} 17 \\ 21 \end{array}$
Blackberry 61 Bladder-senna 20	Olive, Russian P	21
Bladder-senna 20 Blue Spirea 20	Peach	60
Boston Tvy 30	Peach, Flowering	
Boxwood 10, 11	Pear	$\begin{array}{c} 61 \\ 22 \end{array}$
Bridal Wreath 26 Buckeye 13	Periwinkle	12
Buckthorn 25	Pine	6, 7
Burningbush 11, 22	Planetree	$\begin{array}{c} 16 \\ 61 \end{array}$
Bushclover 23 Butterflybush 20	Plnm	17
Butterflybush 20 Buttonbush 20	Poplar	17
. C	Porcelain Ampelopsis	29
Catalpa 14	Privet	12, 23 25
Chaste-tree 27	Pyracantha	
Cherry 60	\mathbf{Q}	
Cherry, Flowering 17 Chokeberry 19	Quince, Japanese Flower-	
Christmasberry 16	$rac{\mathrm{ing}}{\mathrm{R}}$	20
Cinquefoil 25	Raspberry	61
Clematis 30 Coffeetree 15	Raspberry, Flowering	25
Coralberry 26	Redbud	14
Cotoneaster 11	Rhododendron	$\begin{array}{c} 3,4\\12\end{array}$
Crab, Flowering 16 Cranberrybush 27	Rhubarb	61
Cranberrybush 27 Cypress 3	Rose-acacia	25
D	Roses	$\frac{19}{28, 29}$
Daphne 11	Russian Olive	21
Deutzia 21	S	
Dogwood 15, 20	Sassafras	$\begin{array}{c} 17 \\ 20 \end{array}$
Elder 25	Smoketree	25 25
Elm 18	Snowball	27
Euonymus	Snowberry	26 19
Filbert 18	Spirea	
Firethorn, Laland 12	Spirea, Ural-false	25
Forsythia 22	Spruce	6
Fringetree, White 20	Spurge	12 25
Gloryvine 30	Sweetgum	16
Goldenchain 16	Sweetshrub	20
Goldenrain-tree 15 Grape 61	Sycamore	16
H	Tamarix	27
Hackberry 14	Trumpetcreeper	30
Hawthorn 15	Tuliptree	16
Hemlock 9 Holly 11		14
Hollygrape 12	Umbrella Tree	
Honeylocust	Viburnum	27
Honeysuckle12, 24, 30 Horsechestnut 13	Virginia Creeper	29
Hydrangea 22. 23	Walnut	18
I	Waxmyrtle	24
Indigobush	Wayfaring-tree	27
Ivy 30	Weigela	27, 28 17
Japanese Creeper 30	Wintercreeper	11
Jananese Holly 11	Wisteria	30
Japanese Spurge 12 Jasmine 30	Witch-hazelY	
Jethead	Yellowwood	14
	·	

MEMORANDUM

MEMORANDUM



WHOLESALE PRICE LIST

FALL 1935

SPRING 1936

THE WESTMINSTER NURSERY
Westminster, Maryland